



AGENDA
Committee on Public Safety
Wednesday, December 12, 2018 @ 3:30 p.m.
City Council Conference Room, 10th Floor

Council Member Carol Wood, Chair
Council Member Adam Hussain, Vice Chair
Council Member Jeremy Garza, Member

- 1. Call to Order**
- 2. Roll Call**
- 3. Minutes**
 - December 5, 2018
- 4. Public Comment on Agenda Items**
- 5. Discussion:**
 - A. RESOLUTION - Introduction and Set Public Hearing; Ordinance to Adopt the 2015 International Property Maintenance Code
 - B. UPDATES – Pleasant Grove/Holmes Shopping Center
 - C. UPDATES - Logan Square
 - D. DISCUSSION – 2am – 5am Parking Enforcement
- 6. Other**
- 7. Adjourn**

[illegible]

DRAFT



MINUTES

Committee on Public Safety
Wednesday, December 5, 2018 @ 3:30 p.m.
City Council Conference Room, 10th Floor

CALL TO ORDER

The meeting was called to order at 3:30 p.m.

ROLL CALL

Council Member Carol Wood, Chair
Council Member Adam Hussain, Vice Chair
Council Member Jeremy Garza, Member- excused

OTHERS PRESENT

Sherrie Boak, Council Staff
Andy Kilpatrick, Public Service Director
Amanda O'Boyle, Assistant City Attorney
Greg Venker, Assistant City Attorney
Steve Swan, Building Official – left the meeting at 3:50 p.m.
Dale Schrader
Council Member Washington -arrived at 4:07 p.m.
Kathy Miles
Jon Miles
Mary Ellen Purificato
Scott Sanford, Code Compliance
Harold Leeman

MINUTES

MOTION BY COUNCIL MEMBER HUSSAIN TO APPROVE THE MINUTES FROM NOVEMBER 14, 2018. MOTION CARRIED 2-0.

Public Comment

Mr. Schrader spoke on the Walnut Neighborhood and his concerns on the lack of the trash bin ordinance enforcement. He then presented photos from a residence at 116 Seymour on October 26, 2018, when he filed a complaint with Lansing Connect but still to this date he sees no action. Mr. Schrader also pointed out he had a conversation with Mr. McGrain in Economic Development and Planning along with an enforcement officer, but was told at that time that code compliance was not handling it but was being handled by Public Service.

DISCUSSION/ACTION

DISCUSSION - Trash Bin Ordinance policy and implementation

Council Member Wood informed Mr. Kilpatrick that she had received complaints since the ordinance was passed. Some complaints were that when filing a complaint they were told by

DRAFT

Code Compliance they do not have the responsibility, when calling Public Service they tell them it is not their responsibility. Council Member Wood then asked why it is not being enforced. Mr. Kilpatrick spoke to Brian McGrain last week, and confirmed they will be educating in December to Code Enforcement and then blanket areas of the City on the information and fines. Then in January they will begin enforcing. Mr. Kilpatrick then confirmed that any complaints in *Lansing Connect* currently they will address, but he will also look into what the routing is for those complaints now and where they are going to make sure they are being routed to Public Service. They understand that it is the responsibility of the owner and a letter of violation will go to the property owner of record. Council Member Wood wanted to know why the delay in enforcement to January without Council being made aware of the timeline. In addition, she pointed back to other ordinances that have been passed but not implemented appropriately in the departments so that everyone knows. Mr. Kilpatrick admitted that in this situation it was a miscommunication and time line, and his department not following along the Council meeting agendas. Mr. Kilpatrick agreed they should have been ready to go in November, but weren't and will start ticketing residents. On behalf of Public Service, they will take the call, O & M and Cart, will have training on the process. Mr. Sanford was asked on their process, and he stated they have ordered the new tags with fines listed and policy, and will start working on those on Friday's; hopefully this week. This is the educational piece for any current violations. Code Officers will also be carrying the tags as well to put them on anything they see. Mr. Sanford stated he has yet to receive a copy of the final ordinance from the Clerk's office. Council Member Wood asked if information was in the billings, and provided to Granger for their billings.

Council Member Hussain asked about status of premise officer vacancies. Mr. Sanford stated they are testing 10 candidates currently for the vacancies.

Mr. Schrader asked about the status of the complaint he had. Mr. Kilpatrick stated they will look at *Lansing Connect*. Mr. Sanford stated they will put the tags on the carts and move the carts to the middle of the driveway.

Council Member Hussain asked about how Lansing Connect routes the violations. Mr. Kilpatrick stated each complaint goes to an email address, depending on if "trash" or "cart". Mr. Sanford it all depends on what the residents click in the box. Mr. Kilpatrick stated he needs to speak to IT on where it is being routed. Mr. Sanford stated they have a meeting set up for December 10, 2018 with IT and BSA to work on Lansing Connect. Mr. Kilpatrick acknowledged they will be check into the routing of the complaints.

Ms. Purifecato asked stickers on the carts for a violation. Mr. Kilpatrick clarified that the first piece was the education piece in tag form, and the first violation will be the sticker that was mentioned during the discussions.

Mr. Leeman asked why the Mayor and Council do not require the employees to tag the carts.

RESOLUTION – Set Show Cause Hearing; Make Safe or Demolish; 2500 W. Jolly Road

Mr. Sanford informed the Committee that the property was red tagged on 12/5/2018 and was set to be made safe by June, 2018. The property has been vacant over 180 days and the repairs come in at \$79,000 which exceeds the SEV of \$29,100. On 8/23/2018 the Board ruled it unsafe and requested 60 days make safe. Lastly, it was confirmed there were no permits pulled at this time. It was confirmed by Council staff that the request was referred to Council on November 19, 2018. Council Member Hussain asked if the owner appeared at their hearings, and it was confirmed they did not, and Mr. Sanford assured the Committee that the property met the State required 180 tag notice before it came for demolition request.

DRAFT

MOTION BY COUNCIL MEMBER HUSSAIN TO SET THE SHOW CAUSE HEARING FOR JANUARY 14, 2019. MOTION CARRIED 2-0.

RESOLUTION – Set Show Cause Hearing; Make Safe or Demolish; 1414 Ballard Street

Mr. Sanford stated the property was red tagged on 7/12/2018 and submitted for make safe or demolish on 7/13/2018. The SEV of the property was \$20,000; structure value at \$35,625 and land at \$4,361 with an estimate of repairs coming in higher at \$72,000.00. Mr. Sanford confirmed no one was present at their hearings, and no permits were pulled. The Committee questioned the quick day turn around, and the date on the photos being “12/7/2018” which was in the future. *(After this meeting it was confirmed that the correct date was 7/12/2018 and the day turn around was determined by the department because of the condition of the property and approved by the Building Official.)*

MOTION BY COUNCIL MEMBER HUSSAIN TO SET THE SHOW CAUSE HEARING FOR JANUARY 14, 2019. MOTION CARRIED 2-0.

RESOLUTION – Introduction and Set Public Hearing; Ordinance to Adopt the 2015 International Property Maintenance Code

Mr. Sanford stated to the Committee that currently the City is under the 2009 IPMC, and in following the Building Department that has adopted their 2015 Code, they are now asking to adopt the 2015 IMPC. Council Member Wood asked if the same exceptions from the 2005 are included as exceptions with the 2015, and Mr. Sanford confirmed.

The Committee went through the document, and asked questions.

Page 5, Section 108.2, should have been struck and the question was if the City Ordinance states “can cause the premises” when this code states “shall cause”. Mr. Venker stated he wants to verify that against everything.

Page 5, Section 109.1 states notice of imminent danger be posted at each entrance, and Mr. Sanford confirmed they can do that.

Page 6, Section 111.1 which Mr. Venker stated that this Section is currently in the City Ordinance 1460.01 so it will remove this Section Means of Appeal because “appeal” is tied to the Housing Law for the City.

Page 9, Section 202; Definition for Cost of Such Demolition or Emergency Repairs, and the question was asked if when putting out to bid, and the contractor scavenges items is that reduced from the cost of the demolition. Mr. Sanford stated it is not, because under the ordinance on demolition, once it is awarded the contractor has the right to salvage. Therefore this reference should be struck. Council Member Wood agreed. Mr. Venker pointed out that the process for Make Safe or Demolish does not fall under the IMPC and he will check on removal for this purpose.

Page 9, Section 202; Definition for Historic Building, the question was asked if it comports to the City Historic District. Mr. Venker replied that it does not compete with the City Ordinance, and the City definition is not inconsistent.

Page 11, Section 302.8 was confirmed by Mr. Sanford as struck from the new ordinance and replaced with the same language as the current version.

Page 11, Section 303.2 Swimming Pools and Spas; Enclosures was confirmed by Mr. Sanford that it is being enforced.

Page 13, Section 304.18.1 was confirmed by Mr. Sanford that it was being enforced on the units but not on the exterior of the building. The Fire Code determines the exterior ratings of doors.

Page 15, Section 308.2.1 was questioned on if it is being enforced currently. Mr. Venker stated it is not struck out in the current ordinance or the draft ordinance in front of them now. Council Member Wood questioned if when they do inspection if they ask for verification that the tenants or owners have a rubbish removal plan for pick up.

DRAFT

Page 15, Section 309.4 was questioned on its enforcement and Mr. Sanford assured the Committee they cite the owner.

Page 18, Section 404.4; Mr. Sanford was asked if the City utilize this requirement and measures and Mr. Sanford confirmed.

Page 25, Section 704.1.2 was referenced and asked if this was from the International Fire Code, and Mr. Sanford confirmed and added that the Fire Marshall does that enforcement.

The discussion will continue at the 12/12/2018 meeting before it gets referred to Council for a hearing.

UPDATE FROM LAW– 3801 Walton & Future Enforcement

Council Member Hussain read the following email from Council Member Garza in his absence:

From: Garza, Jeremy <Jeremy.Garza@lansingmi.gov>

Sent: Wednesday, December 5, 2018 11:43 AM

Subject: 3801 Walton Update

Good morning carol and Adam,

I apologize that I am unable to attend our Public Safety Committee meeting today.

On Nov. 26th The city attorney, Steve Swan, Trevor Arnold and I met with Bruce Kruger.

Jim Smiertka gave Mr. Kruger an ultimatum, either he figures out how to clean up his property or he will start the process of designating this property a nuisance. Mr. Kruger agreed to start evicting the 4 problematic tenants, secure the main entrances by installing locks, and installing cameras to sign up with SCRAM. Mr. Kruger also agreed to allow Steve Swan, Scott Sanford and myself to walkthrough and inspect each unit on his property.

After the 1st of the year Mr. Kruger is supposed to send a letter in to the city attorney's office stating he's done the improvements, he also agreed to come back before our Public Safety Committee in a couple months to debrief us on the work completed.

LPD Trevor Arnold and Kasha Osborn are also supposed to be doing a crime prevention study of the property. Trevor Arnold will be relieving his duties of the CPO to Jillian Colby sometime in December.

Thank you,

Jeremy A Garza

DISCUSSION – 2am – 5am Parking Enforcement

This discussion was moved to the December 12, 2018 meeting.

ADJOURN

Adjourned at 4:33 p.m.

Submitted by Sherrie Boak,

Recording Secretary

Lansing City Council

Approved as presented: _____

BY THE COMMITTEE ON PUBLIC SAFETY

RESOLVED BY THE CITY COUNCIL OF THE CITY OF LANSING

Resolved by the City Council of the City of Lansing that a public hearing be set for Monday, _____, 2018, at 7 p.m. in City Council Chambers, Tenth Floor, Lansing City Hall, 124 West Michigan Avenue, Lansing, Michigan, for the purpose of considering an amendment to Chapter 1460, Sections 1460.01 and 1460.02 of the Lansing Codified Ordinances to adopt the 2015 International Property Maintenance Code with certain additions, deletions, and alterations.


**Department of Economic
Development and Planning**
Brian McGrain, Director



Director's Office
316 N. Capitol Avenue, Suite D-1
Lansing, Michigan 48933
PH: 517.483.4060 – FAX: 517.483.6036
www.lansingmi.gov

MEMORANDUM

TO: Mayor Andy Schor

FROM: Brian McGrain, Director 
Department of Economic Development & Planning

DATE: November 9, 2018

SUBJECT: Adoption of 2015 IPMC Ordinance

Attached is a memo from Scott Sanford, Interim Code Compliance Manager, regarding adoption of the 2015 IPMC Ordinance and the reasons for why it must be adopted.

I concur with Mr. Sanford's evaluation of this situation and ask that the Ordinance be forwarded to City Council for adoption.

Please let me know if you have any questions.

Attachment

**Department of Economic
Development and Planning**
Brian McGrain, Director



Andy Schor, Mayor

Code Enforcement Office
Scott Sanford, Manager
316 N. Capitol Avenue, Suite C-1
Lansing, Michigan 48933
PH: 517.483.4361 – FAX: 517.377.0100

DATE: September 5, 2018
TO: Brian McGrain, Director
FROM: Scott Sanford, Lead Housing Manager
Code Enforcement
SUBJECT: Adoption of the 2015 IPMC

Please accept this memo as a request to forward to the Mayor's Office for forwarding to the City Council for the adoption of the 2015 International Property Maintenance Code (IPMC) to use as the new Housing Code Ordinance for Code Enforcement.

The City of Lansing is currently using the 2009 IPMC. Our adoption of this code was done to allow the Ordinances used in Code Enforcement to be in line with the State Codes adopted by the Building Department to avoid conflicts in our inspections and to be up to date on the references in use by the State.

The current code was adopted in 2011 and has not been updated since. In February of 2016 the Building Department adopted the 2015 Residential Building Code. So our code is now 2 cycles behind the code that the Building Safety Office is currently using.

Respectfully,

Scott Sanford
Manager
Code Enforcement

INTRODUCTION OF ORDINANCE

Council Member Wood introduced:

An ordinance of the City of Lansing, Michigan, for the purpose of an amendment to Chapter 1460, Sections 1460.01 and 1460.02 of the Lansing Codified Ordinances to adopt the 2015 International Property Maintenance Code with certain additions, deletions, and alterations.

The Ordinance is referred to the Committee on Public Safety

RESOLUTION SETTING PUBLIC HEARING BY CITY COUNCIL

Resolved by the City Council of the City of Lansing that a public hearing be set for Monday, January 14, 2019, at 7 p.m. in City Council Chambers, Tenth Floor, Lansing City Hall, 124 West Michigan Avenue, Lansing, Michigan, for the purpose of considering an amendment to Chapter 1460, Sections 1460.01 and 1460.02 of the Lansing Codified Ordinances to adopt the 2015 International Property Maintenance Code with certain additions, deletions, and alterations.

Interested Persons are invited to attend this Public Hearing

ORDINANCE NO. _____

AN ORDINANCE OF THE CITY OF LANSING, MICHIGAN, TO AMEND CHAPTER 1460, SECTIONS 1460.01 AND 1460.02 OF THE LANSING CODIFIED ORDINANCES TO ADOPT THE 2015 INTERNATIONAL PROPERTY MAINTENANCE CODE WITH CERTAIN ADDITIONS, DELETIONS, AND ALTERATIONS.

THE CITY OF LANSING ORDAINS:

Section 1. That Section 1460.01 of the Codified Ordinances of the City of Lansing, Michigan, is hereby amended as follows:

1460.01. PROPERTY MAINTENANCE CODE

For the purpose of regulating and governing the conditions and maintenance of all premises and any structures thereon; providing standards for supplied utilities and facilities, other physical aspects of structures, and conditions essential to ensure that structures are safe, sanitary, and fit for occupation and use; and providing a mechanism for condemnation of structures unfit for occupancy and use and the demolition of such structures, the ~~2009~~2015 International Property Maintenance Code ("IPMC") is hereby adopted as if fully set forth herein, with the following additions, deletions, and alterations:

(a) When used in the IPMC:

(1) "[Name of jurisdiction]" and "the jurisdiction" are replaced with "Lansing" or "the City."

(2) "International Building Code" is replaced with "the Building Code, as adopted in Chapter 1420 of the Lansing Codified Ordinances."

- 1 (3) "International Mechanical Code" is replaced with "the Mechanical Code, as adopted in
2 Chapter 1426 of the Lansing Codified Ordinances."
- 3 (4) "ICC Electrical Code" is replaced with "the Electrical Code, as adopted in Chapter
4 1424 of the Lansing Codified Ordinances."
- 5 (5) "International Zoning Code" is replaced with "the Zoning Code, Title Six of Part
6 Twelve of the Lansing Codified Ordinances."
- 7 (6) "International Fire Code" is replaced with "the Fire Code, as adopted in Chapter 1610
8 of the Lansing Codified Ordinances."
- 9 (7) "International Plumbing Code" is replaced with "the Plumbing Code, as adopted in
10 Chapter 1422 of the Lansing Codified Ordinances."
- 11 (8) "Department of Property Maintenance Inspection" and "Department" are replaced with
12 "Office of Code Compliance."
- 13 (9) "Legal representative of the jurisdiction," "legal officer of the jurisdiction," and "legal
14 counsel of the jurisdiction" are replaced with "City Attorney."
- 15 (10) "Appointing authority" AND "CHIEF APPOINTING AUTHORITY" ~~is~~ARE
16 replaced with "Mayor."
- 17 (11) "Appeals Board" is replaced with "Building Board of Appeals."
- 18 (b) The following language is added to Section 102.6 after the word "designated": By the Federal,
19 State, or local government.
- 20 (c) Section 103.2 is deleted.

- 1 (d) The text of Section 103.3 is replaced with the following: The Code Official has the authority
2 to appoint Code Compliance Officers and to delegate to any of them any of his or her duties
3 or functions under this Code.
- 4 (e) The text of Section 103.5 is replaced with the following: The fees for services performed by
5 the Office of Code Compliance under this Code shall be established by Council Resolution.
- 6 (f) The following language is added to the end of Section 104.1: The Office of Code Compliance
7 is responsible for enforcing this Code and acts as the Local Health Department under Part 24
8 of the Public Health Code, PA 368 of 1978. The Office of Code Compliance may also enforce
9 any provision of the Housing Law of Michigan, PA 167 of 1917.
- 10 (g) The following language is added to the end of Section 106.1: Unless otherwise provided, a
11 property's owner is responsible for violations of this Code occurring on the property, even
12 where this Code imposes an additional duty on the occupant or where the owner has imposed
13 responsibility on the occupant by agreement.
- 14 (h) The text of Section 106.3 is replaced with the following: The Code Official and all Code
15 Compliance Officers are hereby designated as authorized City Officials for the purpose of
16 issuing municipal civil infraction notices directing alleged violators to appear at the City of
17 Lansing Municipal Ordinance Violations Bureau or a local court of competent jurisdiction.
18 Unless otherwise provided in this Code or by State law, any person in violation of any
19 provision of this Code is responsible for a municipal civil infraction and subject to a \$500.00
20 fine and all other penalties and remedies allowed by law. Any person in violation of Section
21 108.4.1 or Section 108.5 is responsible for a misdemeanor and subject to the penalties provided
22 in Section 202.99(b) of the Lansing Codified Ordinances and all other penalties and remedies

1 allowed by law. If a violation of this Code is not corrected as required by the notice of violation
2 given pursuant to Section 107, the Code Official may institute the appropriate proceeding at
3 law or in equity to restrain, correct, or abate such violation; or to require the removal or
4 termination of any unlawful occupancy of the structure. With the exception of the 30 days
5 within which a vacant structure must be closed pursuant to Section 108.2, the Code Official
6 has the authority to grant an extension of the time specified in the notice of violation, upon
7 request by the person responsible for the violation, provided that the person agrees to correct
8 the violation within the extended time period to be granted and the Code Official determines
9 that a condition dangerous to life or property will not be created or perpetuated by granting
10 such extension. No such extension of time for the correction of a violation will extend the time
11 for filing an appeal.

12 (i) Section 106.6 is added, to read as follows: Violations of Section 302.4 and violations of Section
13 308 are hereby declared to be nuisances and may be abated by the City if not corrected within
14 the time provided in the notice given pursuant to Section 107. Any expense incurred in abating
15 a nuisance pursuant to this section, including an administrative service fee, shall be paid by the
16 owner or party in interest whose name appears on the City's real property tax assessment
17 records. The owner or party in interest whose name appears on the City's real property tax
18 assessment records shall be notified of the amount owed by first class mail at the address shown
19 on the City's real property tax assessment records. After 30 days, any unpaid amount shall be
20 reported to the City Assessor for placement on the next tax roll of the City and imposition of a
21 lien against the property on which the nuisance was located, as permitted by State law.

22 (j) When used in Section 107.1, "person" is replaced with "~~persons~~PERSON(S)."

1 (k) In Section 107.2:

2 (1) The following language is added to the end of number 4: For violations of Section
3 302.4, the notice shall require correction within 7 days.

4 (2) The text of number 6 is replaced with the following: Inform the property owner that,
5 when permitted by law, a lien may be imposed upon the property.

6 (l) The following language is added to the end of Section 108.1.1: Any structure that is a
7 "dangerous building" as defined in the Housing Law of Michigan, PA 167 of 1917, is also an
8 unsafe structure.

9 (m) The text of Section 108.5 is replaced with the following: Any structure condemned and
10 placarded by the Code Official shall be vacated. No person shall occupy any such structure or
11 allow any domestic animal to occupy any such structure. No person shall operate equipment
12 condemned and placarded by the Code Official. Repairs required by a correction order may be
13 made during the hours of 8 am and 5 pm on Mondays through Fridays or at other times for
14 which the Code Compliance Office has granted permission. The Code Compliance Office shall
15 grant permission for repairs to be made at other reasonable times set by Department policy if
16 the person seeking permission has obtained all permits necessary for the work to be done and
17 provides documentation indicating that the work cannot be performed between 8 am and 5 pm
18 on Mondays through Fridays.

19 (n) Section 108.8 is added, to read as follows: The owner of any structure placarded FOR MORE
20 THAN 90 DAYS pursuant to Section 108.4 is responsible for paying a monthly, non-
21 refundable administrative fee while the placard remains on the structure. The administrative
22 fee shall be established by Council resolution in an amount sufficient to defray the cost incurred

1 by the City to monitor the structure for the purpose of preventing public safety hazards. The
2 owner or party in interest whose name appears on the City's real property tax assessment
3 records shall be notified of the amount owed by first class mail at the address shown on the
4 City's real property tax assessment records. After 30 days, any unpaid amount shall be reported
5 to the City Assessor for placement on the next tax roll of the City and imposition of a lien
6 against the property, as permitted by State law.

7 (o) Section 108.9 is added, to read as follows: The Code Official may request permission to inspect
8 any structure intended to be used as a dwelling when that structure has remained vacant for
9 180 days. If permission to inspect is denied, the Code Official may seek a warrant from a court
10 of competent jurisdiction.

11 (p) Section 110 is deleted. In its place, MCL 125.538-125.542, with the exception of MCL
12 125.541c, from Article VII of the Housing Law of Michigan, PA 167 of 1917, are hereby
13 adopted by reference. Pursuant to MCL 125.534(6), regardless of whether or not the cost of
14 repair of a structure exceeds its state equalized value, the Code Official may bring a court
15 action to remove or rehabilitate it if (1) it is an unsafe structure pursuant to Section 108.1.1,
16 (2) it remains vacant or boarded, and (3) a significant attempt has not been made to rehabilitate
17 it for a period of 24 consecutive months.

18 (q) Section 111.1 is replaced with the following: Appeal of a decision that a structure is a
19 dangerous building pursuant to MCL 125.542 shall follow the procedures described in the
20 Housing Law of Michigan, PA 167 of 1917, and adopted in subsection (p). Any person directly
21 affected by any other decision of the Code Official or notice or order issued under this Code
22 may appeal to the Building Board of Appeals. The Code Official shall be an ex-officio member

1 of the Building Board of Appeals when it hears appeals brought under this Code, but the Code
2 Official shall have no vote on any matter before the Board. Written application for an appeal
3 must be filed within 20 days of service of the decision, notice, or order being appealed. An
4 application for appeal must be based on a claim that the true intent of this Code or the rules
5 legally adopted thereunder have been incorrectly interpreted, the provisions of this Code do
6 not apply, or the purposes of this Code's requirements are adequately fulfilled by other means.

7 (r) Sections 111.2-~~111.7~~111.8 are deleted.

8 (s) The following definitions replaces those provided in Section 202:

9 *PERSON*. ANY LEGAL ENTITY.

10 (t) The definitions of "inoperable motor vehicle" and "operator" are deleted.

11 (u) The following definitions are added to Section 202:

12 a. *Absentee landlord*. Any owner of rental property whose principal residence is located
13 more than forty miles from the corporate limits of the City.

14 b. *Code Compliance Officer*. Any duly authorized representative of the Code Official.

15 c. *Dwelling*. Any "dwelling," as defined in the Housing Law of Michigan, PA 167 of
16 1917.

17 d. *Leasehold*. Any "leasehold" as defined in the Housing Law of Michigan, PA 167 of
18 1917.

19 e. *Motor vehicle*. Any "motor vehicle" as defined in the Michigan Vehicle Code, PA 300
20 of 1949.

1 f. *Rental property.* Any premises, dwelling, dwelling unit, or rooming unit which is not
2 occupied on a daily basis by the owner(s), and which is offered to let, to hire, or to
3 assign for a period of more than 30 days to any person(s) for any or no consideration.

4 (v) The following language is added to the end of Section ~~302.4~~302.1: No mattresses or indoor
5 furniture shall be kept on exterior property or premises.

6 (w) The first paragraph of Section 302.4 is replaced with the following: All premises shall be
7 maintained free of weeds and of grass eight inches or more in height.

8 (x) The text of Section 302.8 is replaced with the following: No motor vehicle that is inoperative,
9 stripped, dismantled, or in a state of major disassembly or disrepair may be kept on any exterior
10 premises. Motor vehicles may be removed from private property in accordance with the towing
11 regulations established by the State as the "special anti-theft laws" sections of Division II of
12 the Michigan Vehicle Code, MCL 257.252—MCL 257.254.

13 (y) When used in Section 304.14, "during the period from [date] to [date]" is replaced with
14 "between May and October."

15 (z) In Sections 602.3 and 602.4, "during the period from [date] to [date]" is deleted.

16 (aa) Section 404.5 is deleted.

17
18 Section 2. That Section 1460.02 of the Lansing Code of Ordinances of the City of Lansing
19 Michigan, is hereby amended as follows:

20 **1460.02. - COPY OF ~~2009~~2015 International Property Maintenance Code for Public**
21 **Inspection.**

1 A copy of the ~~2009~~2015 International Property Maintenance Code is available for public
2 inspection in the City Clerk's Office.

3
4 Section 3. All ordinances, resolutions or rules, parts of ordinances, resolutions or rules
5 inconsistent with the provisions hereof are hereby repealed.

6 Section 4. Should any Section, clause or phrase of this ordinance be declared to be invalid,
7 the same shall not affect the validity of the ordinance as a whole, or any part thereof other than the
8 part so declared to be invalid.

9 Section 5. This ordinance shall take effect on the 30th day after enactment, unless given
10 immediate effect by City Council, and shall expire on December 31, 2027.

11
12 APPROVED BY THE ORDINANCE REVIEW COMMITTEE
13 OF THE OFFICE OF THE CITY ATTORNEY

IPMC®

2015

INTERNATIONAL CODES®

INTERNATIONAL
Property Maintenance
Code®

A Member of the International
Code Family®



**INTERNATIONAL
CODE COUNCIL®**

2015 IPMC[®]

INTERNATIONAL

Property Maintenance Code[®]

CODE ALERT!

Subscribe now to receive critical code updates. Signup is easy!
www.iccsafe.org/2015alert



2015 International Property Maintenance Code®

First Printing: May 2014

ISBN: 978-1-60983-484-5 (soft-cover edition)

COPYRIGHT © 2014
by
INTERNATIONAL CODE COUNCIL, INC.

Date of First Publication: May 30, 2014

ALL RIGHTS RESERVED. This 2015 *International Property Maintenance Code*® is a copyrighted work owned by the International Code Council, Inc. Without advance written permission from the copyright owner, no part of this book may be reproduced, distributed or transmitted in any form or by any means, including, without limitation, electronic, optical or mechanical means (by way of example, and not limitation, photocopying or recording by or in an information storage retrieval system). For information on permission to copy material exceeding fair use, please contact: Publications, 4051 West Flossmoor Road, Country Club Hills, IL 60478. Phone 1-888-ICC-SAFE (422-7233).

Trademarks: “International Code Council,” the “International Code Council” logo and the “International Property Maintenance Code” are trademarks of the International Code Council, Inc.

PRINTED IN THE U.S.A.

TABLE OF CONTENTS

CHAPTER 1 SCOPE AND ADMINISTRATION 1	402 Light 17
PART 1—SCOPE AND APPLICATION. 1	403 Ventilation 17
Section	404 Occupancy Limitations 17
101 General 1	CHAPTER 5 PLUMBING FACILITIES AND
102 Applicability 1	FIXTURE REQUIREMENTS 19
PART 2—ADMINISTRATION AND	Section
ENFORCEMENT 2	501 General 19
Section	502 Required Facilities 19
103 Department of Property Maintenance	503 Toilet Rooms 19
Inspection 2	504 Plumbing Systems and Fixtures 19
104 Duties and Powers of the Code Official 2	505 Water System 19
105 Approval 2	506 Sanitary Drainage System 20
106 Violations 3	507 Storm Drainage 20
107 Notices and Orders 3	CHAPTER 6 MECHANICAL AND ELECTRICAL
108 Unsafe Structures and Equipment 4	REQUIREMENTS 21
109 Emergency Measures 5	Section
110 Demolition 6	601 General 21
111 Means of Appeal 6	602 Heating Facilities 21
112 Stop Work Order 7	603 Mechanical Equipment 21
CHAPTER 2 DEFINITIONS 9	604 Electrical Facilities 21
Section	605 Electrical Equipment 22
201 General 9	606 Elevators, Escalators and Dumbwaiters 22
202 General Definitions 9	607 Duct Systems 23
CHAPTER 3 GENERAL REQUIREMENTS. 11	CHAPTER 7 FIRE SAFETY REQUIREMENTS . . . 25
Section	Section
301 General 11	701 General 25
302 Exterior Property Areas 11	702 Means of Egress 25
303 Swimming Pools, Spas and Hot Tubs 11	703 Fire-resistance Ratings 25
304 Exterior Structure 12	704 Fire Protection Systems 25
305 Interior Structure 13	CHAPTER 8 REFERENCED STANDARDS. 27
306 Component Serviceability 14	APPENDIX A BOARDING STANDARD. 29
307 Handrails and Guardrails 15	Section
308 Rubbish and Garbage 15	A101 General 29
309 Pest Elimination 15	A102 Materials 29
CHAPTER 4 LIGHT, VENTILATION AND	A103 Installation 29
OCCUPANCY LIMITATIONS 17	A104 Referenced Standard 29
Section	INDEX 31
401 General 17	

CHAPTER 1

SCOPE AND ADMINISTRATION

PART 1 — SCOPE AND APPLICATION

SECTION 101 GENERAL

[A] **101.1 Title.** These regulations shall be known as the *International Property Maintenance Code* of [NAME OF JURISDICTION], hereinafter referred to as “this code.”

[A] **101.2 Scope.** The provisions of this code shall apply to all existing residential and nonresidential structures and all existing *premises* and constitute minimum requirements and standards for *premises*, structures, equipment and facilities for light, *ventilation*, space, heating, sanitation, protection from the elements, a reasonable level of safety from fire and other hazards, and for a reasonable level of sanitary maintenance; the responsibility of *owners*, an owner’s authorized agent, *operators* and *occupants*; the *occupancy* of existing structures and *premises*, and for administration, enforcement and penalties.

[A] **101.3 Intent.** This code shall be construed to secure its expressed intent, which is to ensure public health, safety and welfare insofar as they are affected by the continued *occupancy* and maintenance of structures and *premises*. Existing structures and *premises* that do not comply with these provisions shall be altered or repaired to provide a minimum level of health and safety as required herein.

[A] **101.4 Severability.** If a section, subsection, sentence, clause or phrase of this code is, for any reason, held to be unconstitutional, such decision shall not affect the validity of the remaining portions of this code.

SECTION 102 APPLICABILITY

[A] **102.1 General.** Where there is a conflict between a general requirement and a specific requirement, the specific requirement shall govern. Where differences occur between provisions of this code and the referenced standards, the provisions of this code shall apply. Where, in a specific case, different sections of this code specify different requirements, the most restrictive shall govern.

[A] **102.2 Maintenance.** Equipment, systems, devices and safeguards required by this code or a previous regulation or code under which the structure or *premises* was constructed, altered or repaired shall be maintained in good working order. No *owner*, owner’s authorized agent, *operator* or *occupant* shall cause any service, facility, equipment or utility that is required under this section to be removed from, shut off from or discontinued for any occupied dwelling, except for such temporary interruption as necessary while repairs or alterations are in progress. The requirements of this code are not

intended to provide the basis for removal or abrogation of fire protection and safety systems and devices in existing structures. Except as otherwise specified herein, the *owner* or the *owner’s* authorized agent shall be responsible for the maintenance of buildings, structures and *premises*.

[A] **102.3 Application of other codes.** Repairs, additions or alterations to a structure, or changes of *occupancy*, shall be done in accordance with the procedures and provisions of the *International Building Code*, *International Existing Building Code*, *International Energy Conservation Code*, *International Fire Code*, *International Fuel Gas Code*, *International Mechanical Code*, *International Residential Code*, *International Plumbing Code* and NFPA 70. Nothing in this code shall be construed to cancel, modify or set aside any provision of the *International Zoning Code*.

[A] **102.4 Existing remedies.** The provisions in this code shall not be construed to abolish or impair existing remedies of the jurisdiction or its officers or agencies relating to the removal or demolition of any structure that is dangerous, unsafe and insanitary.

[A] **102.5 Workmanship.** Repairs, maintenance work, alterations or installations that are caused directly or indirectly by the enforcement of this code shall be executed and installed in a *workmanlike* manner and installed in accordance with the manufacturer’s instructions.

[A] **102.6 Historic buildings.** The provisions of this code shall not be mandatory for existing buildings or structures designated as historic buildings where such buildings or structures are judged by the *code official* to be safe and in the public interest of health, safety and welfare.

[A] **102.7 Referenced codes and standards.** The codes and standards referenced in this code shall be those that are listed in Chapter 8 and considered part of the requirements of this code to the prescribed extent of each such reference and as further regulated in Sections 102.7.1 and 102.7.2.

Exception: Where enforcement of a code provision would violate the conditions of the listing of the equipment or appliance, the conditions of the listing shall apply.

[A] **102.7.1 Conflicts.** Where conflicts occur between provisions of this code and the referenced standards, the provisions of this code shall apply.

[A] **102.7.2 Provisions in referenced codes and standards.** Where the extent of the reference to a referenced code or standard includes subject matter that is within the scope of this code, the provisions of this code, as applicable, shall take precedence over the provisions in the referenced code or standard.

[A] **102.8 Requirements not covered by code.** Requirements necessary for the strength, stability or proper operation of an existing fixture, structure or equipment, or for the pub-

lic safety, health and general welfare, not specifically covered by this code, shall be determined by the *code official*.

[A] 102.9 Application of references. References to chapter or section numbers, or to provisions not specifically identified by number, shall be construed to refer to such chapter, section or provision of this code.

[A] 102.10 Other laws. The provisions of this code shall not be deemed to nullify any provisions of local, state or federal law.

PART 2 — ADMINISTRATION AND ENFORCEMENT

SECTION 103 DEPARTMENT OF PROPERTY MAINTENANCE INSPECTION

[A] 103.1 General. The department of property maintenance inspection is hereby created and the executive official in charge thereof shall be known as the *code official*.

[A] 103.2 Appointment. The *code official* shall be appointed by the chief appointing authority of the jurisdiction.

[A] 103.3 Deputies. In accordance with the prescribed procedures of this jurisdiction and with the concurrence of the appointing authority, the *code official* shall have the authority to appoint a deputy(s). Such employees shall have powers as delegated by the *code official*.

[A] 103.4 Liability. The *code official*, member of the board of appeals or employee charged with the enforcement of this code, while acting for the jurisdiction, in good faith and without malice in the discharge of the duties required by this code or other pertinent law or ordinance, shall not thereby be rendered civilly or criminally liable personally, and is hereby relieved from all personal liability for any damage accruing to persons or property as a result of an act or by reason of an act or omission in the discharge of official duties.

[A] 103.4.1 Legal defense. Any suit or criminal complaint instituted against any officer or employee because of an act performed by that officer or employee in the lawful discharge of duties and under the provisions of this code shall be defended by the legal representative of the jurisdiction until the final termination of the proceedings. The *code official* or any subordinate shall not be liable for costs in an action, suit or proceeding that is instituted in pursuance of the provisions of this code.

[A] 103.5 Fees. The fees for activities and services performed by the department in carrying out its responsibilities under this code shall be as indicated in the following schedule.

[JURISDICTION TO INSERT APPROPRIATE SCHEDULE.]

SECTION 104 DUTIES AND POWERS OF THE CODE OFFICIAL

[A] 104.1 General. The *code official* is hereby authorized and directed to enforce the provisions of this code. The *code official* shall have the authority to render interpretations of this code and to adopt policies and procedures in order to

clarify the application of its provisions. Such interpretations, policies and procedures shall be in compliance with the intent and purpose of this code. Such policies and procedures shall not have the effect of waiving requirements specifically provided for in this code.

[A] 104.2 Inspections. The *code official* shall make all of the required inspections, or shall accept reports of inspection by *approved* agencies or individuals. Reports of such inspections shall be in writing and be certified by a responsible officer of such *approved* agency or by the responsible individual. The *code official* is authorized to engage such expert opinion as deemed necessary to report upon unusual technical issues that arise, subject to the approval of the appointing authority.

[A] 104.3 Right of entry. Where it is necessary to make an inspection to enforce the provisions of this code, or whenever the *code official* has reasonable cause to believe that there exists in a *structure* or upon a *premises* a condition in violation of this code, the *code official* is authorized to enter the *structure* or *premises* at reasonable times to inspect or perform the duties imposed by this code, provided that if such *structure* or *premises* is occupied the *code official* shall present credentials to the *occupant* and request entry. If such *structure* or *premises* is unoccupied, the *code official* shall first make a reasonable effort to locate the *owner*, *owner's* authorized agent or other person having charge or control of the *structure* or *premises* and request entry. If entry is refused, the *code official* shall have recourse to the remedies provided by law to secure entry.

[A] 104.4 Identification. The *code official* shall carry proper identification when inspecting *structures* or *premises* in the performance of duties under this code.

[A] 104.5 Notices and orders. The *code official* shall issue all necessary notices or orders to ensure compliance with this code.

[A] 104.6 Department records. The *code official* shall keep official records of all business and activities of the department specified in the provisions of this code. Such records shall be retained in the official records for the period required for retention of public records.

SECTION 105 APPROVAL

[A] 105.1 Modifications. Whenever there are practical difficulties involved in carrying out the provisions of this code, the *code official* shall have the authority to grant modifications for individual cases upon application of the *owner* or *owner's* authorized agent, provided the *code official* shall first find that special individual reason makes the strict letter of this code impractical, the modification is in compliance with the intent and purpose of this code and that such modification does not lessen health, life and fire safety requirements. The details of action granting modifications shall be recorded and entered in the department files.

[A] 105.2 Alternative materials, methods and equipment. The provisions of this code are not intended to prevent the installation of any material or to prohibit any method of construction not specifically prescribed by this code, provided

that any such alternative has been *approved*. An alternative material or method of construction shall be *approved* where the *code official* finds that the proposed design is satisfactory and complies with the intent of the provisions of this code, and that the material, method or work offered is, for the purpose intended, at least the equivalent of that prescribed in this code in quality, strength, effectiveness, fire resistance, durability and safety. Where the alternative material, design or method of construction is not *approved*, the *code official* shall respond in writing, stating the reasons the alternative was not *approved*.

[A] 105.3 Required testing. Whenever there is insufficient evidence of compliance with the provisions of this code or evidence that a material or method does not conform to the requirements of this code, or in order to substantiate claims for alternative materials or methods, the *code official* shall have the authority to require tests to be made as evidence of compliance at no expense to the jurisdiction.

[A] 105.3.1 Test methods. Test methods shall be as specified in this code or by other recognized test standards. In the absence of recognized and accepted test methods, the *code official* shall be permitted to approve appropriate testing procedures performed by an *approved agency*.

[A] 105.3.2 Test reports. Reports of tests shall be retained by the *code official* for the period required for retention of public records.

[A] 105.4 Used material and equipment. The use of used materials that meet the requirements of this code for new materials is permitted. Materials, equipment and devices shall not be reused unless such elements are in good repair or have been reconditioned and tested where necessary, placed in good and proper working condition and *approved* by the *code official*.

[A] 105.5 Approved materials and equipment. Materials, equipment and devices *approved* by the *code official* shall be constructed and installed in accordance with such approval.

[A] 105.6 Research reports. Supporting data, where necessary to assist in the approval of materials or assemblies not specifically provided for in this code, shall consist of valid research reports from *approved sources*.

SECTION 106 VIOLATIONS

[A] 106.1 Unlawful acts. It shall be unlawful for a person, firm or corporation to be in conflict with or in violation of any of the provisions of this code.

[A] 106.2 Notice of violation. The *code official* shall serve a notice of violation or order in accordance with Section 107.

[A] 106.3 Prosecution of violation. Any person failing to comply with a notice of violation or order served in accordance with Section 107 shall be deemed guilty of a misdemeanor or civil infraction as determined by the local municipality, and the violation shall be deemed a *strict liability offense*. If the notice of violation is not complied with, the *code official* shall institute the appropriate proceeding at law or in equity to restrain, correct or abate such violation, or to

require the removal or termination of the unlawful *occupancy* of the structure in violation of the provisions of this code or of the order or direction made pursuant thereto. Any action taken by the authority having jurisdiction on such *premises* shall be charged against the real estate upon which the structure is located and shall be a lien upon such real estate.

[A] 106.4 Violation penalties. Any person who shall violate a provision of this code, or fail to comply therewith, or with any of the requirements thereof, shall be prosecuted within the limits provided by state or local laws. Each day that a violation continues after due notice has been served shall be deemed a separate offense.

[A] 106.5 Abatement of violation. The imposition of the penalties herein prescribed shall not preclude the legal officer of the jurisdiction from instituting appropriate action to restrain, correct or abate a violation, or to prevent illegal *occupancy* of a building, structure or *premises*, or to stop an illegal act, conduct, business or utilization of the building, structure or *premises*.

SECTION 107 NOTICES AND ORDERS

[A] 107.1 Notice to person responsible. Whenever the *code official* determines that there has been a violation of this code or has grounds to believe that a violation has occurred, notice shall be given in the manner prescribed in Sections 107.2 and 107.3 to the person responsible for the violation as specified in this code. Notices for condemnation procedures shall also comply with Section 108.3.

[A] 107.2 Form. Such notice prescribed in Section 107.1 shall be in accordance with all of the following:

1. Be in writing.
2. Include a description of the real estate sufficient for identification.
3. Include a statement of the violation or violations and why the notice is being issued.
4. Include a correction order allowing a reasonable time to make the repairs and improvements required to bring the *dwelling unit* or structure into compliance with the provisions of this code.
5. Inform the property owner or owner's authorized agent of the right to appeal.
6. Include a statement of the right to file a lien in accordance with Section 106.3.

[A] 107.3 Method of service. Such notice shall be deemed to be properly served if a copy thereof is:

1. Delivered personally;
2. Sent by certified or first-class mail addressed to the last known address; or
3. If the notice is returned showing that the letter was not delivered, a copy thereof shall be posted in a conspicuous place in or about the structure affected by such notice.

[A] 107.4 Unauthorized tampering. Signs, tags or seals posted or affixed by the *code official* shall not be mutilated, destroyed or tampered with, or removed without authorization from the *code official*.

[A] 107.5 Penalties. Penalties for noncompliance with orders and notices shall be as set forth in Section 106.4.

[A] 107.6 Transfer of ownership. It shall be unlawful for the owner of any *dwelling unit* or structure who has received a compliance order or upon whom a notice of violation has been served to sell, transfer, mortgage, lease or otherwise dispose of such *dwelling unit* or structure to another until the provisions of the compliance order or notice of violation have been complied with, or until such owner or the owner's authorized agent shall first furnish the grantee, transferee, mortgagee or lessee a true copy of any compliance order or notice of violation issued by the *code official* and shall furnish to the *code official* a signed and notarized statement from the grantee, transferee, mortgagee or lessee, acknowledging the receipt of such compliance order or notice of violation and fully accepting the responsibility without condition for making the corrections or repairs required by such compliance order or notice of violation.

SECTION 108

UNSAFE STRUCTURES AND EQUIPMENT

[A] 108.1 General. When a structure or equipment is found by the *code official* to be unsafe, or when a structure is found unfit for human *occupancy*, or is found unlawful, such structure shall be *condemned* pursuant to the provisions of this code.

[A] 108.1.1 Unsafe structures. An unsafe structure is one that is found to be dangerous to the life, health, property or safety of the public or the *occupants* of the structure by not providing minimum safeguards to protect or warn *occupants* in the event of fire, or because such structure contains unsafe equipment or is so damaged, decayed, dilapidated, structurally unsafe or of such faulty construction or unstable foundation, that partial or complete collapse is possible.

[A] 108.1.2 Unsafe equipment. Unsafe equipment includes any boiler, heating equipment, elevator, moving stairway, electrical wiring or device, flammable liquid containers or other equipment on the *premises* or within the structure which is in such disrepair or condition that such equipment is a hazard to life, health, property or safety of the public or *occupants* of the *premises* or structure.

[A] 108.1.3 Structure unfit for human occupancy. A structure is unfit for human *occupancy* whenever the *code official* finds that such structure is unsafe, unlawful or, because of the degree to which the structure is in disrepair or lacks maintenance, is insanitary, vermin or rat infested, contains filth and contamination, or lacks *ventilation*, illumination, sanitary or heating facilities or other essential equipment required by this code, or because the location of the structure constitutes a hazard to the *occupants* of the structure or to the public.

[A] 108.1.4 Unlawful structure. An unlawful structure is one found in whole or in part to be occupied by more persons than permitted under this code, or was erected, altered or occupied contrary to law.

[A] 108.1.5 Dangerous structure or premises. For the purpose of this code, any structure or *premises* that has any or all of the conditions or defects described below shall be considered dangerous:

1. Any door, aisle, passageway, stairway, exit or other means of egress that does not conform to the *approved* building or fire code of the jurisdiction as related to the requirements for existing buildings.
2. The walking surface of any aisle, passageway, stairway, exit or other means of egress is so warped, worn loose, torn or otherwise unsafe as to not provide safe and adequate means of egress.
3. Any portion of a building, structure or appurtenance that has been damaged by fire, earthquake, wind, flood, *deterioration*, *neglect*, abandonment, vandalism or by any other cause to such an extent that it is likely to partially or completely collapse, or to become *detached* or dislodged.
4. Any portion of a building, or any member, appurtenance or ornamentation on the exterior thereof that is not of sufficient strength or stability, or is not so *anchored*, attached or fastened in place so as to be capable of resisting natural or artificial loads of one and one-half the original designed value.
5. The building or structure, or part of the building or structure, because of dilapidation, *deterioration*, decay, faulty construction, the removal or movement of some portion of the ground necessary for the support, or for any other reason, is likely to partially or completely collapse, or some portion of the foundation or underpinning of the building or structure is likely to fail or give way.
6. The building or structure, or any portion thereof, is clearly unsafe for its use and *occupancy*.
7. The building or structure is *neglected*, damaged, dilapidated, unsecured or abandoned so as to become an attractive nuisance to children who might play in the building or structure to their danger, becomes a harbor for vagrants, criminals or immoral persons, or enables persons to resort to the building or structure for committing a nuisance or an unlawful act.
8. Any building or structure has been constructed, exists or is maintained in violation of any specific requirement or prohibition applicable to such building or structure provided by the *approved* building or fire code of the jurisdiction, or of any law or ordinance to such an extent as to present either a substantial risk of fire, building collapse or any other threat to life and safety.

9. A building or structure, used or intended to be used for dwelling purposes, because of inadequate maintenance, dilapidation, decay, damage, faulty construction or arrangement, inadequate light, *ventilation*, mechanical or plumbing system, or otherwise, is determined by the *code official* to be unsanitary, unfit for human habitation or in such a condition that is likely to cause sickness or disease.
10. Any building or structure, because of a lack of sufficient or proper fire-resistance-rated construction, fire protection systems, electrical system, fuel connections, mechanical system, plumbing system or other cause, is determined by the *code official* to be a threat to life or health.
11. Any portion of a building remains on a site after the demolition or destruction of the building or structure or whenever any building or structure is abandoned so as to constitute such building or portion thereof as an attractive nuisance or hazard to the public.

[A] 108.2 Closing of vacant structures. If the structure is vacant and unfit for human habitation and *occupancy*, and is not in danger of structural collapse, the *code official* is authorized to post a placard of condemnation on the *premises* and order the structure closed up so as not to be an attractive nuisance. Upon failure of the *owner* or owner's authorized agent to close up the *premises* within the time specified in the order, the *code official* shall cause the *premises* to be closed and secured through any available public agency or by contract or arrangement by private persons and the cost thereof shall be charged against the real estate upon which the structure is located and shall be a lien upon such real estate and shall be collected by any other legal resource.

[A] 108.2.1 Authority to disconnect service utilities. The *code official* shall have the authority to authorize disconnection of utility service to the building, structure or system regulated by this code and the referenced codes and standards set forth in Section 102.7 in case of emergency where necessary to eliminate an immediate hazard to life or property or where such utility connection has been made without approval. The *code official* shall notify the serving utility and, whenever possible, the *owner* or owner's authorized agent and *occupant* of the building, structure or service system of the decision to disconnect prior to taking such action. If not notified prior to disconnection the *owner*, owner's authorized agent or *occupant* of the building structure or service system shall be notified in writing as soon as practical thereafter.

[A] 108.3 Notice. Whenever the *code official* has condemned a structure or equipment under the provisions of this section, notice shall be posted in a conspicuous place in or about the structure affected by such notice and served on the *owner*, owner's authorized agent or the person or persons responsible for the structure or equipment in accordance with Section 107.3. If the notice pertains to equipment, it shall be placed on the condemned equipment. The notice shall be in the form prescribed in Section 107.2.

[A] 108.4 Placarding. Upon failure of the *owner*, owner's authorized agent or person responsible to comply with the notice provisions within the time given, the *code official* shall post on the *premises* or on defective equipment a placard bearing the word "Condemned" and a statement of the penalties provided for occupying the *premises*, operating the equipment or removing the placard.

[A] 108.4.1 Placard removal. The *code official* shall remove the condemnation placard whenever the defect or defects upon which the condemnation and placarding action were based have been eliminated. Any person who defaces or removes a condemnation placard without the approval of the *code official* shall be subject to the penalties provided by this code.

[A] 108.5 Prohibited occupancy. Any occupied structure condemned and placarded by the *code official* shall be vacated as ordered by the *code official*. Any person who shall occupy a placarded *premises* or shall operate placarded equipment, and any *owner*, owner's authorized agent or person responsible for the *premises* who shall let anyone occupy a placarded *premises* or operate placarded equipment shall be liable for the penalties provided by this code.

[A] 108.6 Abatement methods. The *owner*, owner's authorized agent, *operator* or *occupant* of a building, *premises* or equipment deemed unsafe by the *code official* shall abate or cause to be abated or corrected such unsafe conditions either by repair, rehabilitation, demolition or other *approved* corrective action.

[A] 108.7 Record. The *code official* shall cause a report to be filed on an unsafe condition. The report shall state the *occupancy* of the structure and the nature of the unsafe condition.

SECTION 109 EMERGENCY MEASURES

[A] 109.1 Imminent danger. When, in the opinion of the *code official*, there is *imminent danger* of failure or collapse of a building or structure that endangers life, or when any structure or part of a structure has fallen and life is endangered by the occupation of the structure, or when there is actual or potential danger to the building *occupants* or those in the proximity of any structure because of explosives, explosive fumes or vapors or the presence of toxic fumes, gases or materials, or operation of defective or dangerous equipment, the *code official* is hereby authorized and empowered to order and require the *occupants* to vacate the *premises* forthwith. The *code official* shall cause to be posted at each entrance to such structure a notice reading as follows: "This Structure Is Unsafe and Its Occupancy Has Been Prohibited by the Code Official." It shall be unlawful for any person to enter such structure except for the purpose of securing the structure, making the required repairs, removing the hazardous condition or of demolishing the same.

[A] 109.2 Temporary safeguards. Notwithstanding other provisions of this code, whenever, in the opinion of the *code official*, there is *imminent danger* due to an unsafe condition, the *code official* shall order the necessary work to be done,

including the boarding up of openings, to render such structure temporarily safe whether or not the legal procedure herein described has been instituted; and shall cause such other action to be taken as the *code official* deems necessary to meet such emergency.

[A] 109.3 Closing streets. When necessary for public safety, the *code official* shall temporarily close structures and close, or order the authority having jurisdiction to close, sidewalks, streets, *public ways* and places adjacent to unsafe structures, and prohibit the same from being utilized.

[A] 109.4 Emergency repairs. For the purposes of this section, the *code official* shall employ the necessary labor and materials to perform the required work as expeditiously as possible.

[A] 109.5 Costs of emergency repairs. Costs incurred in the performance of emergency work shall be paid by the jurisdiction. The legal counsel of the jurisdiction shall institute appropriate action against the *owner* of the *premises* or owner's authorized agent where the unsafe structure is or was located for the recovery of such costs.

[A] 109.6 Hearing. Any person ordered to take emergency measures shall comply with such order forthwith. Any affected person shall thereafter, upon petition directed to the appeals board, be afforded a hearing as described in this code.

SECTION 110 DEMOLITION

[A] 110.1 General. The *code official* shall order the *owner* or owner's authorized agent of any *premises* upon which is located any structure, which in the *code official's* or owner's authorized agent judgment after review is so deteriorated or dilapidated or has become so out of repair as to be dangerous, unsafe, insanitary or otherwise unfit for human habitation or occupancy, and such that it is unreasonable to repair the structure, to demolish and remove such structure; or if such structure is capable of being made safe by repairs, to repair and make safe and sanitary, or to board up and hold for future repair or to demolish and remove at the *owner's* option; or where there has been a cessation of normal construction of any structure for a period of more than two years, the *code official* shall order the *owner* or owner's authorized agent to demolish and remove such structure, or board up until future repair. Boarding the building up for future repair shall not extend beyond one year, unless *approved* by the building official.

[A] 110.2 Notices and orders. Notices and orders shall comply with Section 107.

[A] 110.3 Failure to comply. If the *owner* of a *premises* or owner's authorized agent fails to comply with a demolition order within the time prescribed, the *code official* shall cause the structure to be demolished and removed, either through an available public agency or by contract or arrangement with private persons, and the cost of such demolition and removal shall be charged against the real estate upon which the structure is located and shall be a lien upon such real estate.

[A] 110.4 Salvage materials. When any structure has been ordered demolished and removed, the governing body or other designated officer under said contract or arrangement aforesaid shall have the right to sell the salvage and valuable materials. The net proceeds of such sale, after deducting the expenses of such demolition and removal, shall be promptly remitted with a report of such sale or transaction, including the items of expense and the amounts deducted, for the person who is entitled thereto, subject to any order of a court. If such a surplus does not remain to be turned over, the report shall so state.

SECTION 111 MEANS OF APPEAL

[A] 111.1 Application for appeal. Any person directly affected by a decision of the *code official* or a notice or order issued under this code shall have the right to appeal to the board of appeals, provided that a written application for appeal is filed within 20 days after the day the decision, notice or order was served. An application for appeal shall be based on a claim that the true intent of this code or the rules legally adopted thereunder have been incorrectly interpreted, the provisions of this code do not fully apply, or the requirements of this code are adequately satisfied by other means.

[A] 111.2 Membership of board. The board of appeals shall consist of not less than three members who are qualified by experience and training to pass on matters pertaining to property maintenance and who are not employees of the jurisdiction. The *code official* shall be an ex-officio member but shall have no vote on any matter before the board. The board shall be appointed by the chief appointing authority, and shall serve staggered and overlapping terms.

[A] 111.2.1 Alternate members. The chief appointing authority shall appoint not less than two alternate members who shall be called by the board chairman to hear appeals during the absence or disqualification of a member. Alternate members shall possess the qualifications required for board membership.

[A] 111.2.2 Chairman. The board shall annually select one of its members to serve as chairman.

[A] 111.2.3 Disqualification of member. A member shall not hear an appeal in which that member has a personal, professional or financial interest.

[A] 111.2.4 Secretary. The chief administrative officer shall designate a qualified person to serve as secretary to the board. The secretary shall file a detailed record of all proceedings in the office of the chief administrative officer.

[A] 111.2.5 Compensation of members. Compensation of members shall be determined by law.

[A] 111.3 Notice of meeting. The board shall meet upon notice from the chairman, within 20 days of the filing of an appeal, or at stated periodic meetings.

[A] 111.4 Open hearing. Hearings before the board shall be open to the public. The appellant, the appellant's representa-

tive, the *code official* and any person whose interests are affected shall be given an opportunity to be heard. A quorum shall consist of a minimum of two-thirds of the board membership.

[A] 111.4.1 Procedure. The board shall adopt and make available to the public through the secretary procedures under which a hearing will be conducted. The procedures shall not require compliance with strict rules of evidence, but shall mandate that only relevant information be received.

[A] 111.5 Postponed hearing. When the full board is not present to hear an appeal, either the appellant or the appellant's representative shall have the right to request a postponement of the hearing.

[A] 111.6 Board decision. The board shall modify or reverse the decision of the *code official* only by a concurring vote of a majority of the total number of appointed board members.

[A] 111.6.1 Records and copies. The decision of the board shall be recorded. Copies shall be furnished to the appellant and to the *code official*.

[A] 111.6.2 Administration. The *code official* shall take immediate action in accordance with the decision of the board.

[A] 111.7 Court review. Any person, whether or not a previous party of the appeal, shall have the right to apply to the appropriate court for a writ of certiorari to correct errors of law. Application for review shall be made in the manner and time required by law following the filing of the decision in the office of the chief administrative officer.

[A] 111.8 Stays of enforcement. Appeals of notice and orders (other than *Imminent Danger* notices) shall stay the enforcement of the notice and order until the appeal is heard by the appeals board.

SECTION 112 STOP WORK ORDER

[A] 112.1 Authority. Whenever the *code official* finds any work regulated by this code being performed in a manner contrary to the provisions of this code or in a dangerous or unsafe manner, the *code official* is authorized to issue a stop work order.

[A] 112.2 Issuance. A stop work order shall be in writing and shall be given to the *owner* of the property, to the *owner's* authorized agent, or to the person doing the work. Upon issuance of a stop work order, the cited work shall immediately cease. The stop work order shall state the reason for the order and the conditions under which the cited work is authorized to resume.

[A] 112.3 Emergencies. Where an emergency exists, the *code official* shall not be required to give a written notice prior to stopping the work.

[A] 112.4 Failure to comply. Any person who shall continue any work after having been served with a stop work order, except such work as that person is directed to perform to

remove a violation or unsafe condition, shall be liable to a fine of not less than [AMOUNT] dollars or more than [AMOUNT] dollars.

CHAPTER 2

DEFINITIONS

SECTION 201 GENERAL

201.1 Scope. Unless otherwise expressly stated, the following terms shall, for the purposes of this code, have the meanings shown in this chapter.

201.2 Interchangeability. Words stated in the present tense include the future; words stated in the masculine gender include the feminine and neuter; the singular number includes the plural and the plural, the singular.

201.3 Terms defined in other codes. Where terms are not defined in this code and are defined in the *International Building Code*, *International Existing Building Code*, *International Fire Code*, *International Fuel Gas Code*, *International Mechanical Code*, *International Plumbing Code*, *International Residential Code*, *International Zoning Code* or NFPA 70, such terms shall have the meanings ascribed to them as stated in those codes.

201.4 Terms not defined. Where terms are not defined through the methods authorized by this section, such terms shall have ordinarily accepted meanings such as the context implies.

201.5 Parts. Whenever the words “dwelling unit,” “dwelling,” “premises,” “building,” “rooming house,” “rooming unit,” “housekeeping unit” or “story” are stated in this code, they shall be construed as though they were followed by the words “or any part thereof.”

SECTION 202 GENERAL DEFINITIONS

ANCHORED. Secured in a manner that provides positive connection.

[A] APPROVED. Acceptable to the *code official*.

BASEMENT. That portion of a building which is partly or completely below grade.

BATHROOM. A room containing plumbing fixtures including a bathtub or shower.

BEDROOM. Any room or space used or intended to be used for sleeping purposes in either a dwelling or *sleeping unit*.

[A] CODE OFFICIAL. The official who is charged with the administration and enforcement of this code, or any duly authorized representative.

CONDEMN. To adjudge unfit for *occupancy*.

COST OF SUCH DEMOLITION OR EMERGENCY REPAIRS. The costs shall include the actual costs of the demolition or repair of the structure less revenues obtained if salvage was conducted prior to demolition or repair. Costs shall include, but not be limited to, expenses incurred or necessitated related to demolition or emergency repairs, such

as asbestos survey and abatement if necessary; costs of inspectors, testing agencies or experts retained relative to the demolition or emergency repairs; costs of testing; surveys for other materials that are controlled or regulated from being dumped in a landfill; title searches; mailing(s); postings; recording; and attorney fees expended for recovering of the cost of emergency repairs or to obtain or enforce an order of demolition made by a *code official*, the governing body or board of appeals.

DETACHED. When a structural element is physically disconnected from another and that connection is necessary to provide a positive connection.

DETERIORATION. To weaken, disintegrate, corrode, rust or decay and lose effectiveness.

[BG] DWELLING UNIT. A single unit providing complete, independent living facilities for one or more persons, including permanent provisions for living, sleeping, eating, cooking and sanitation.

[Z] EASEMENT. That portion of land or property reserved for present or future use by a person or agency other than the legal fee *owner(s)* of the property. The *easement* shall be permitted to be for use under, on or above a said lot or lots.

EQUIPMENT SUPPORT. Those structural members or assemblies of members or manufactured elements, including braces, frames, lugs, snuggers, hangers or saddles, that transmit gravity load, lateral load and operating load between the equipment and the structure.

EXTERIOR PROPERTY. The open space on the *premises* and on adjoining property under the control of *owners* or *operators* of such *premises*.

GARBAGE. The animal or vegetable waste resulting from the handling, preparation, cooking and consumption of food.

[BE] GUARD. A building component or a system of building components located at or near the open sides of elevated walking surfaces that minimizes the possibility of a fall from the walking surface to a lower level.

[BG] HABITABLE SPACE. Space in a structure for living, sleeping, eating or cooking. *Bathrooms*, *toilet rooms*, closets, halls, storage or utility spaces, and similar areas are not considered *habitable spaces*.

HISTORIC BUILDING. Any building or structure that is one or more of the following:

1. Listed or certified as eligible for listing, by the State Historic Preservation Officer or the Keeper of the National Register of Historic Places, in the National Register of Historic Places.
2. Designated as historic under an applicable state or local law.

3. Certified as a contributing resource within a National Register or state or locally designated historic district.

HOUSEKEEPING UNIT. A room or group of rooms forming a single *habitable space* equipped and intended to be used for living, sleeping, cooking and eating which does not contain, within such a unit, a toilet, lavatory and bathtub or shower.

IMMINENT DANGER. A condition which could cause serious or life-threatening injury or death at any time.

INFESTATION. The presence, within or contiguous to, a structure or *premises* of insects, rats, vermin or other pests.

INOPERABLE MOTOR VEHICLE. A vehicle which cannot be driven upon the public streets for reason including but not limited to being unlicensed, wrecked, abandoned, in a state of disrepair, or incapable of being moved under its own power.

[A] LABELED. Equipment, materials or products to which have been affixed a label, seal, symbol or other identifying mark of a nationally recognized testing laboratory, inspection agency or other organization concerned with product evaluation that maintains periodic inspection of the production of the above-labeled items and whose labeling indicates either that the equipment, material or product meets identified standards or has been tested and found suitable for a specified purpose.

LET FOR OCCUPANCY or LET. To permit, provide or offer possession or *occupancy* of a dwelling, *dwelling unit*, *rooming unit*, building, premise or structure by a person who is or is not the legal *owner* of record thereof, pursuant to a written or unwritten lease, agreement or license, or pursuant to a recorded or unrecorded agreement of contract for the sale of land.

NEGLECT. The lack of proper maintenance for a building or *structure*.

[A] OCCUPANCY. The purpose for which a building or portion thereof is utilized or occupied.

OCCUPANT. Any individual living or sleeping in a building, or having possession of a space within a building.

OPENABLE AREA. That part of a window, skylight or door which is available for unobstructed *ventilation* and which opens directly to the outdoors.

OPERATOR. Any person who has charge, care or control of a structure or *premises* which is let or offered for *occupancy*.

[A] OWNER. Any person, agent, *operator*, firm or corporation having legal or equitable interest in the property; or recorded in the official records of the state, county or municipality as holding title to the property; or otherwise having control of the property, including the guardian of the estate of any such person, and the executor or administrator of the estate of such person if ordered to take possession of real property by a court.

PERSON. An individual, corporation, partnership or any other group acting as a unit.

PEST ELIMINATION. The control and elimination of insects, rodents or other pests by eliminating their harborage places; by removing or making inaccessible materials that serve as their food or water; by other *approved pest elimination* methods.

[A] PREMISES. A lot, plot or parcel of land, *easement* or *public way*, including any structures thereon.

[A] PUBLIC WAY. Any street, alley or similar parcel of land essentially unobstructed from the ground to the sky, which is deeded, dedicated or otherwise permanently appropriated to the public for public use.

ROOMING HOUSE. A building arranged or occupied for lodging, with or without meals, for compensation and not occupied as a one- or two-family dwelling.

ROOMING UNIT. Any room or group of rooms forming a single *habitable unit* occupied or intended to be occupied for sleeping or living, but not for cooking purposes.

RUBBISH. Combustible and noncombustible waste materials, except garbage; the term shall include the residue from the burning of wood, coal, coke and other combustible materials, paper, rags, cartons, boxes, wood, excelsior, rubber, leather, tree branches, *yard* trimmings, tin cans, metals, mineral matter, glass, crockery and dust and other similar materials.

[BG] SLEEPING UNIT. A room or space in which people sleep, which can also include permanent provisions for living, eating and either sanitation or kitchen facilities, but not both. Such rooms and spaces that are also part of a *dwelling unit* are not *sleeping units*.

STRICT LIABILITY OFFENSE. An offense in which the prosecution in a legal proceeding is not required to prove criminal intent as a part of its case. It is enough to prove that the defendant either did an act which was prohibited, or failed to do an act which the defendant was legally required to do.

[A] STRUCTURE. That which is built or constructed or a portion thereof.

TENANT. A person, corporation, partnership or group, whether or not the legal *owner* of record, occupying a building or portion thereof as a unit.

TOILET ROOM. A room containing a water closet or urinal but not a bathtub or shower.

ULTIMATE DEFORMATION. The deformation at which failure occurs and which shall be deemed to occur if the sustainable load reduces to 80 percent or less of the maximum strength.

[M] VENTILATION. The natural or mechanical process of supplying conditioned or unconditioned air to, or removing such air from, any space.

WORKMANLIKE. Executed in a skilled manner; e.g., generally plumb, level, square, in line, undamaged and without marring adjacent work.

[Z] YARD. An open space on the same lot with a structure.

CHAPTER 3

GENERAL REQUIREMENTS

SECTION 301 GENERAL

301.1 Scope. The provisions of this chapter shall govern the minimum conditions and the responsibilities of persons for maintenance of structures, equipment and *exterior property*.

301.2 Responsibility. The *owner* of the *premises* shall maintain the structures and *exterior property* in compliance with these requirements, except as otherwise provided for in this code. A person shall not occupy as owner-occupant or permit another person to occupy *premises* that are not in a sanitary and safe condition and that do not comply with the requirements of this chapter. *Occupants* of a *dwelling unit*, *rooming unit* or *housekeeping unit* are responsible for keeping in a clean, sanitary and safe condition that part of the *dwelling unit*, *rooming unit*, *housekeeping unit* or *premises* which they occupy and control.

301.3 Vacant structures and land. Vacant structures and *premises* thereof or vacant land shall be maintained in a clean, safe, secure and sanitary condition as provided herein so as not to cause a blighting problem or adversely affect the public health or safety.

SECTION 302 EXTERIOR PROPERTY AREAS

302.1 Sanitation. *Exterior property* and *premises* shall be maintained in a clean, safe and sanitary condition. The *occupant* shall keep that part of the *exterior property* that such *occupant* occupies or controls in a clean and sanitary condition.

302.2 Grading and drainage. *Premises* shall be graded and maintained to prevent the erosion of soil and to prevent the accumulation of stagnant water thereon, or within any structure located thereon.

Exception: *Approved* retention areas and reservoirs.

302.3 Sidewalks and driveways. Sidewalks, walkways, stairs, driveways, parking spaces and similar areas shall be kept in a proper state of repair, and maintained free from hazardous conditions.

302.4 Weeds. *Premises* and *exterior property* shall be maintained free from weeds or plant growth in excess of [JURISDICTION TO INSERT HEIGHT IN INCHES]. Noxious weeds shall be prohibited. Weeds shall be defined as all grasses, annual plants and vegetation, other than trees or shrubs provided; however, this term shall not include cultivated flowers and gardens.

Upon failure of the *owner* or agent having charge of a property to cut and destroy weeds after service of a notice of violation, they shall be subject to prosecution in accordance with Section 106.3 and as prescribed by the authority having jurisdiction. Upon failure to comply with the notice of viola-

tion, any duly authorized employee of the jurisdiction or contractor hired by the jurisdiction shall be authorized to enter upon the property in violation and cut and destroy the weeds growing thereon, and the costs of such removal shall be paid by the *owner* or agent responsible for the property.

302.5 Rodent harborage. Structures and *exterior property* shall be kept free from rodent harborage and *infestation*. Where rodents are found, they shall be promptly exterminated by *approved* processes that will not be injurious to human health. After pest elimination, proper precautions shall be taken to eliminate rodent harborage and prevent reinfestation.

302.6 Exhaust vents. Pipes, ducts, conductors, fans or blowers shall not discharge gases, steam, vapor, hot air, grease, smoke, odors or other gaseous or particulate wastes directly upon abutting or adjacent public or private property or that of another *tenant*.

302.7 Accessory structures. Accessory structures, including *detached* garages, fences and walls, shall be maintained structurally sound and in good repair.

302.8 Motor vehicles. Except as provided for in other regulations, no inoperative or unlicensed motor vehicle shall be parked, kept or stored on any *premises*, and no vehicle shall at any time be in a state of major disassembly, disrepair, or in the process of being stripped or dismantled. Painting of vehicles is prohibited unless conducted inside an *approved* spray booth.

Exception: A vehicle of any type is permitted to undergo major overhaul, including body work, provided that such work is performed inside a structure or similarly enclosed area designed and *approved* for such purposes.

302.9 Defacement of property. No person shall willfully or wantonly damage, mutilate or deface any exterior surface of any structure or building on any private or public property by placing thereon any marking, carving or graffiti.

It shall be the responsibility of the *owner* to restore said surface to an *approved* state of maintenance and repair.

SECTION 303 SWIMMING POOLS, SPAS AND HOT TUBS

303.1 Swimming pools. Swimming pools shall be maintained in a clean and sanitary condition, and in good repair.

303.2 Enclosures. Private swimming pools, hot tubs and spas, containing water more than 24 inches (610 mm) in depth shall be completely surrounded by a fence or barrier not less than 48 inches (1219 mm) in height above the finished ground level measured on the side of the barrier away from the pool. Gates and doors in such barriers shall be self-closing and self-latching. Where the self-latching device is not less than 54 inches (1372 mm) above the bottom of the

gate, the release mechanism shall be located on the pool side of the gate. Self-closing and self-latching gates shall be maintained such that the gate will positively close and latch when released from an open position of 6 inches (152 mm) from the gatepost. No existing pool enclosure shall be removed, replaced or changed in a manner that reduces its effectiveness as a safety barrier.

Exception: Spas or hot tubs with a safety cover that complies with ASTM F 1346 shall be exempt from the provisions of this section.

SECTION 304 EXTERIOR STRUCTURE

304.1 General. The exterior of a structure shall be maintained in good repair, structurally sound and sanitary so as not to pose a threat to the public health, safety or welfare.

304.1.1 Unsafe conditions. The following conditions shall be determined as unsafe and shall be repaired or replaced to comply with the *International Building Code* or the *International Existing Building Code* as required for existing buildings:

1. The nominal strength of any structural member is exceeded by nominal loads, the load effects or the required strength;
2. The *anchorage* of the floor or roof to walls or columns, and of walls and columns to foundations is not capable of resisting all nominal loads or load effects;
3. Structures or components thereof that have reached their limit state;
4. Siding and masonry joints including joints between the building envelope and the perimeter of windows, doors and skylights are not maintained, weather resistant or water tight;
5. Structural members that have evidence of *deterioration* or that are not capable of safely supporting all nominal loads and load effects;
6. Foundation systems that are not firmly supported by footings, are not plumb and free from open cracks and breaks, are not properly *anchored* or are not capable of supporting all nominal loads and resisting all load effects;
7. Exterior walls that are not *anchored* to supporting and supported elements or are not plumb and free of holes, cracks or breaks and loose or rotting materials, are not properly *anchored* or are not capable of supporting all nominal loads and resisting all load effects;
8. Roofing or roofing components that have defects that admit rain, roof surfaces with inadequate drainage, or any portion of the roof framing that is not in good repair with signs of *deterioration*, fatigue or without proper anchorage and incapable of supporting all nominal loads and resisting all load effects;
9. Flooring and flooring components with defects that affect serviceability or flooring components that show signs of *deterioration* or fatigue, are not properly *anchored* or are incapable of supporting all nominal loads and resisting all load effects;
10. Veneer, cornices, belt courses, corbels, trim, wall facings and similar decorative features not properly anchored or that are anchored with connections not capable of supporting all nominal loads and resisting all load effects;
11. Overhang extensions or projections including, but not limited to, trash chutes, canopies, marquees, signs, awnings, fire escapes, standpipes and exhaust ducts not properly *anchored* or that are *anchored* with connections not capable of supporting all nominal loads and resisting all load effects;
12. Exterior stairs, decks, porches, balconies and all similar appurtenances attached thereto, including *guards* and handrails, are not structurally sound, not properly *anchored* or that are *anchored* with connections not capable of supporting all nominal loads and resisting all load effects; or
13. Chimneys, cooling towers, smokestacks and similar appurtenances not structurally sound or not properly *anchored*, or that are anchored with connections not capable of supporting all nominal loads and resisting all load effects.

Exceptions:

1. Where substantiated otherwise by an *approved* method.
2. Demolition of unsafe conditions shall be permitted where *approved* by the *code official*.

304.2 Protective treatment. Exterior surfaces, including but not limited to, doors, door and window frames, cornices, porches, trim, balconies, decks and fences, shall be maintained in good condition. Exterior wood surfaces, other than decay-resistant woods, shall be protected from the elements and decay by painting or other protective covering or treatment. Peeling, flaking and chipped paint shall be eliminated and surfaces repainted. Siding and masonry joints, as well as those between the building envelope and the perimeter of windows, doors and skylights, shall be maintained weather resistant and water tight. Metal surfaces subject to rust or corrosion shall be coated to inhibit such rust and corrosion, and surfaces with rust or corrosion shall be stabilized and coated to inhibit future rust and corrosion. Oxidation stains shall be removed from exterior surfaces. Surfaces designed for stabilization by oxidation are exempt from this requirement.

[F] 304.3 Premises identification. Buildings shall have *approved* address numbers placed in a position to be plainly legible and visible from the street or road fronting the property. These numbers shall contrast with their background. Address numbers shall be Arabic numerals or alphabet letters. Numbers shall be not less than 4 inches (102 mm) in height with a minimum stroke width of 0.5 inch (12.7 mm).

304.4 Structural members. Structural members shall be maintained free from *deterioration*, and shall be capable of safely supporting the imposed dead and live loads.

304.5 Foundation walls. Foundation walls shall be maintained plumb and free from open cracks and breaks and shall be kept in such condition so as to prevent the entry of rodents and other pests.

304.6 Exterior walls. Exterior walls shall be free from holes, breaks, and loose or rotting materials; and maintained weathertight and properly surface coated where required to prevent *deterioration*.

304.7 Roofs and drainage. The roof and flashing shall be sound, tight and not have defects that admit rain. Roof drainage shall be adequate to prevent dampness or *deterioration* in the walls or interior portion of the structure. Roof drains, gutters and downspouts shall be maintained in good repair and free from obstructions. Roof water shall not be discharged in a manner that creates a public nuisance.

304.8 Decorative features. Cornices, belt courses, corbels, terra cotta trim, wall facings and similar decorative features shall be maintained in good repair with proper anchorage and in a safe condition.

304.9 Overhang extensions. Overhang extensions including, but not limited to, canopies, marquees, signs, metal awnings, fire escapes, standpipes and exhaust ducts shall be maintained in good repair and be properly *anchored* so as to be kept in a sound condition. Where required, all exposed surfaces of metal or wood shall be protected from the elements and against decay or rust by periodic application of weather-coating materials, such as paint or similar surface treatment.

304.10 Stairways, decks, porches and balconies. Every exterior stairway, deck, porch and balcony, and all appurtenances attached thereto, shall be maintained structurally sound, in good repair, with proper anchorage and capable of supporting the imposed loads.

304.11 Chimneys and towers. Chimneys, cooling towers, smoke stacks, and similar appurtenances shall be maintained structurally safe and sound, and in good repair. Exposed surfaces of metal or wood shall be protected from the elements and against decay or rust by periodic application of weather-coating materials, such as paint or similar surface treatment.

304.12 Handrails and guards. Every handrail and *guard* shall be firmly fastened and capable of supporting normally imposed loads and shall be maintained in good condition.

304.13 Window, skylight and door frames. Every window, skylight, door and frame shall be kept in sound condition, good repair and weather tight.

304.13.1 Glazing. Glazing materials shall be maintained free from cracks and holes.

304.13.2 Openable windows. Every window, other than a fixed window, shall be easily openable and capable of being held in position by window hardware.

304.14 Insect screens. During the period from [DATE] to [DATE], every door, window and other outside opening required for *ventilation* of habitable rooms, food preparation areas, food service areas or any areas where products to be

included or utilized in food for human consumption are processed, manufactured, packaged or stored shall be supplied with *approved* tightly fitting screens of minimum 16 mesh per inch (16 mesh per 25 mm), and every screen door used for insect control shall have a self-closing device in good working condition.

Exception: Screens shall not be required where other *approved* means, such as air curtains or insect repellent fans, are employed.

304.15 Doors. Exterior doors, door assemblies, operator systems if provided, and hardware shall be maintained in good condition. Locks at all entrances to dwelling units and sleeping units shall tightly secure the door. Locks on means of egress doors shall be in accordance with Section 702.3.

304.16 Basement hatchways. Every *basement* hatchway shall be maintained to prevent the entrance of rodents, rain and surface drainage water.

304.17 Guards for basement windows. Every *basement* window that is openable shall be supplied with rodent shields, storm windows or other *approved* protection against the entry of rodents.

304.18 Building security. Doors, windows or hatchways for *dwelling units*, room units or *housekeeping units* shall be provided with devices designed to provide security for the *occupants* and property within.

304.18.1 Doors. Doors providing access to a *dwelling unit*, *rooming unit* or *housekeeping unit* that is rented, leased or let shall be equipped with a deadbolt lock designed to be readily openable from the side from which egress is to be made without the need for keys, special knowledge or effort and shall have a minimum lock throw of 1 inch (25 mm). Such deadbolt locks shall be installed according to the manufacturer's specifications and maintained in good working order. For the purpose of this section, a sliding bolt shall not be considered an acceptable deadbolt lock.

304.18.2 Windows. Operable windows located in whole or in part within 6 feet (1828 mm) above ground level or a walking surface below that provide access to a *dwelling unit*, *rooming unit* or *housekeeping unit* that is rented, leased or let shall be equipped with a window sash locking device.

304.18.3 Basement hatchways. *Basement* hatchways that provide access to a *dwelling unit*, *rooming unit* or *housekeeping unit* that is rented, leased or let shall be equipped with devices that secure the units from unauthorized entry.

304.19 Gates. Exterior gates, gate assemblies, operator systems if provided, and hardware shall be maintained in good condition. Latches at all entrances shall tightly secure the gates.

SECTION 305 INTERIOR STRUCTURE

305.1 General. The interior of a structure and equipment therein shall be maintained in good repair, structurally sound and in a sanitary condition. *Occupants* shall keep that part of

GENERAL REQUIREMENTS

the structure that they occupy or control in a clean and sanitary condition. Every *owner* of a structure containing a *rooming house*, *housekeeping units*, a hotel, a dormitory, two or more *dwelling units* or two or more nonresidential occupancies, shall maintain, in a clean and sanitary condition, the shared or public areas of the structure and *exterior property*.

305.1.1 Unsafe conditions. The following conditions shall be determined as unsafe and shall be repaired or replaced to comply with the *International Building Code* or the *International Existing Building Code* as required for existing buildings:

1. The nominal strength of any structural member is exceeded by nominal loads, the load effects or the required strength;
2. The anchorage of the floor or roof to walls or columns, and of walls and columns to foundations is not capable of resisting all nominal loads or load effects;
3. Structures or components thereof that have reached their limit state;
4. Structural members are incapable of supporting nominal loads and load effects;
5. Stairs, landings, balconies and all similar walking surfaces, including *guards* and handrails, are not structurally sound, not properly *anchored* or are *anchored* with connections not capable of supporting all nominal loads and resisting all load effects;
6. Foundation systems that are not firmly supported by footings are not plumb and free from open cracks and breaks, are not properly *anchored* or are not capable of supporting all nominal loads and resisting all load effects.

Exceptions:

1. Where substantiated otherwise by an *approved method*.
2. Demolition of unsafe conditions shall be permitted when *approved* by the *code official*.

305.2 Structural members. Structural members shall be maintained structurally sound, and be capable of supporting the imposed loads.

305.3 Interior surfaces. Interior surfaces, including windows and doors, shall be maintained in good, clean and sanitary condition. Peeling, chipping, flaking or abraded paint shall be repaired, removed or covered. Cracked or loose plaster, decayed wood and other defective surface conditions shall be corrected.

305.4 Stairs and walking surfaces. Every stair, ramp, landing, balcony, porch, deck or other walking surface shall be maintained in sound condition and good repair.

305.5 Handrails and guards. Every handrail and *guard* shall be firmly fastened and capable of supporting normally imposed loads and shall be maintained in good condition.

305.6 Interior doors. Every interior door shall fit reasonably well within its frame and shall be capable of being opened and closed by being properly and securely attached to jambs,

headers or tracks as intended by the manufacturer of the attachment hardware.

SECTION 306 COMPONENT SERVICEABILITY

306.1 General. The components of a structure and equipment therein shall be maintained in good repair, structurally sound and in a sanitary condition.

306.1.1 Unsafe conditions. Where any of the following conditions cause the component or system to be beyond its limit state, the component or system shall be determined as unsafe and shall be repaired or replaced to comply with the *International Building Code* or the *International Existing Building Code* as required for existing buildings:

1. Soils that have been subjected to any of the following conditions:
 - 1.1. Collapse of footing or foundation system;
 - 1.2. Damage to footing, foundation, concrete or other structural element due to soil expansion;
 - 1.3. Adverse effects to the design strength of footing, foundation, concrete or other structural element due to a chemical reaction from the soil;
 - 1.4. Inadequate soil as determined by a geotechnical investigation;
 - 1.5. Where the allowable bearing capacity of the soil is in doubt; or
 - 1.6. Adverse effects to the footing, foundation, concrete or other structural element due to the ground water table.
2. Concrete that has been subjected to any of the following conditions:
 - 2.1. *Deterioration*;
 - 2.2. *Ultimate deformation*;
 - 2.3. Fractures;
 - 2.4. Fissures;
 - 2.5. Spalling;
 - 2.6. Exposed reinforcement; or
 - 2.7. *Detached*, dislodged or failing connections.
3. Aluminum that has been subjected to any of the following conditions:
 - 3.1. *Deterioration*;
 - 3.2. Corrosion;
 - 3.3. Elastic deformation;
 - 3.4. *Ultimate deformation*;
 - 3.5. Stress or strain cracks;
 - 3.6. Joint fatigue; or
 - 3.7. *Detached*, dislodged or failing connections.

4. Masonry that has been subjected to any of the following conditions:
 - 4.1. *Deterioration*;
 - 4.2. *Ultimate deformation*;
 - 4.3. Fractures in masonry or mortar joints;
 - 4.4. Fissures in masonry or mortar joints;
 - 4.5. Spalling;
 - 4.6. Exposed reinforcement; or
 - 4.7. *Detached*, dislodged or failing connections.
5. Steel that has been subjected to any of the following conditions:
 - 5.1. *Deterioration*;
 - 5.2. Elastic deformation;
 - 5.3. *Ultimate deformation*;
 - 5.4. Metal fatigue; or
 - 5.5. *Detached*, dislodged or failing connections.
6. Wood that has been subjected to any of the following conditions:
 - 6.1. *Ultimate deformation*;
 - 6.2. *Deterioration*;
 - 6.3. Damage from insects, rodents and other vermin;
 - 6.4. Fire damage beyond charring;
 - 6.5. Significant splits and checks;
 - 6.6. Horizontal shear cracks;
 - 6.7. Vertical shear cracks;
 - 6.8. Inadequate support;
 - 6.9. *Detached*, dislodged or failing connections; or
 - 6.10. Excessive cutting and notching.

Exceptions:

1. Where substantiated otherwise by an *approved* method.
2. Demolition of unsafe conditions shall be permitted where *approved* by the *code official*.

SECTION 307 HANDRAILS AND GUARDRAILS

307.1 General. Every exterior and interior flight of stairs having more than four risers shall have a handrail on one side of the stair and every open portion of a stair, landing, balcony, porch, deck, ramp or other walking surface that is more than 30 inches (762 mm) above the floor or grade below shall have *guards*. Handrails shall be not less than 30 inches (762 mm) in height or more than 42 inches (1067 mm) in height measured vertically above the nosing of the tread or above the finished floor of the landing or walking surfaces. *Guards* shall be not less than 30 inches (762 mm) in height above the

floor of the landing, balcony, porch, deck, or ramp or other walking surface.

Exception: *Guards* shall not be required where exempted by the adopted building code.

SECTION 308 RUBBISH AND GARBAGE

308.1 Accumulation of rubbish or garbage. *Exterior property* and *premises*, and the interior of every structure, shall be free from any accumulation of *rubbish* or garbage.

308.2 Disposal of rubbish. Every *occupant* of a structure shall dispose of all *rubbish* in a clean and sanitary manner by placing such *rubbish* in *approved* containers.

308.2.1 Rubbish storage facilities. The *owner* of every occupied *premises* shall supply *approved* covered containers for *rubbish*, and the *owner* of the *premises* shall be responsible for the removal of *rubbish*.

308.2.2 Refrigerators. Refrigerators and similar equipment not in operation shall not be discarded, abandoned or stored on *premises* without first removing the doors.

308.3 Disposal of garbage. Every *occupant* of a structure shall dispose of garbage in a clean and sanitary manner by placing such garbage in an *approved* garbage disposal facility or *approved* garbage containers.

308.3.1 Garbage facilities. The *owner* of every dwelling shall supply one of the following: an *approved* mechanical food waste grinder in each *dwelling unit*; an *approved* incinerator unit in the structure available to the *occupants* in each *dwelling unit*; or an *approved* leakproof, covered, outside garbage container.

308.3.2 Containers. The *operator* of every establishment producing garbage shall provide, and at all times cause to be utilized, *approved* leakproof containers provided with close-fitting covers for the storage of such materials until removed from the *premises* for disposal.

SECTION 309 PEST ELIMINATION

309.1 Infestation. Structures shall be kept free from insect and rodent *infestation*. Structures in which insects or rodents are found shall be promptly exterminated by *approved* processes that will not be injurious to human health. After pest elimination, proper precautions shall be taken to prevent reinfestation.

309.2 Owner. The *owner* of any structure shall be responsible for pest elimination within the structure prior to renting or leasing the structure.

309.3 Single occupant. The *occupant* of a one-family dwelling or of a single-tenant nonresidential structure shall be responsible for pest elimination on the *premises*.

309.4 Multiple occupancy. The *owner* of a structure containing two or more *dwelling units*, a multiple *occupancy*, a

GENERAL REQUIREMENTS

rooming house or a nonresidential structure shall be responsible for pest elimination in the public or shared areas of the structure and *exterior property*. If *infestation* is caused by failure of an *occupant* to prevent such *infestation* in the area occupied, the *occupant* and *owner* shall be responsible for pest elimination.

309.5 Occupant. The *occupant* of any structure shall be responsible for the continued rodent and pest-free condition of the structure.

Exception: Where the *infestations* are caused by defects in the structure, the *owner* shall be responsible for pest elimination.

CHAPTER 4

LIGHT, VENTILATION AND OCCUPANCY LIMITATIONS

SECTION 401 GENERAL

401.1 Scope. The provisions of this chapter shall govern the minimum conditions and standards for light, *ventilation* and space for occupying a structure.

401.2 Responsibility. The *owner* of the structure shall provide and maintain light, *ventilation* and space conditions in compliance with these requirements. A person shall not occupy as *owner-occupant*, or permit another person to occupy, any *premises* that do not comply with the requirements of this chapter.

401.3 Alternative devices. In lieu of the means for natural light and *ventilation* herein prescribed, artificial light or mechanical *ventilation* complying with the *International Building Code* shall be permitted.

SECTION 402 LIGHT

402.1 Habitable spaces. Every *habitable space* shall have not less than one window of *approved* size facing directly to the outdoors or to a court. The minimum total glazed area for every *habitable space* shall be 8 percent of the floor area of such room. Wherever walls or other portions of a structure face a window of any room and such obstructions are located less than 3 feet (914 mm) from the window and extend to a level above that of the ceiling of the room, such window shall not be deemed to face directly to the outdoors nor to a court and shall not be included as contributing to the required minimum total window area for the room.

Exception: Where natural light for rooms or spaces without exterior glazing areas is provided through an adjoining room, the unobstructed opening to the adjoining room shall be not less than 8 percent of the floor area of the interior room or space, but a minimum of 25 square feet (2.33 m²). The exterior glazing area shall be based on the total floor area being served.

402.2 Common halls and stairways. Every common hall and stairway in residential occupancies, other than in one- and two-family dwellings, shall be lighted at all times with not less than a 60-watt standard incandescent light bulb for each 200 square feet (19 m²) of floor area or equivalent illumination, provided that the spacing between lights shall not be greater than 30 feet (9144 mm). In other than residential occupancies, means of egress, including exterior means of egress, stairways shall be illuminated at all times the building space served by the means of egress is occupied with not less than 1 footcandle (11 lux) at floors, landings and treads.

402.3 Other spaces. All other spaces shall be provided with natural or artificial light sufficient to permit the maintenance of sanitary conditions, and the safe *occupancy* of the space and utilization of the appliances, equipment and fixtures.

SECTION 403 VENTILATION

403.1 Habitable spaces. Every *habitable space* shall have not less than one openable window. The total openable area of the window in every room shall be equal to not less than 45 percent of the minimum glazed area required in Section 402.1.

Exception: Where rooms and spaces without openings to the outdoors are ventilated through an adjoining room, the unobstructed opening to the adjoining room shall be not less than 8 percent of the floor area of the interior room or space, but not less than 25 square feet (2.33 m²). The *ventilation* openings to the outdoors shall be based on a total floor area being ventilated.

403.2 Bathrooms and toilet rooms. Every *bathroom* and *toilet room* shall comply with the *ventilation* requirements for *habitable spaces* as required by Section 403.1, except that a window shall not be required in such spaces equipped with a mechanical *ventilation* system. Air exhausted by a mechanical *ventilation* system from a *bathroom* or *toilet room* shall discharge to the outdoors and shall not be recirculated.

403.3 Cooking facilities. Unless *approved* through the certificate of *occupancy*, cooking shall not be permitted in any *rooming unit* or dormitory unit, and a cooking facility or appliance shall not be permitted to be present in the *rooming unit* or dormitory unit.

Exceptions:

1. Where specifically *approved* in writing by the *code official*.
2. Devices such as coffee pots and microwave ovens shall not be considered cooking appliances.

403.4 Process ventilation. Where injurious, toxic, irritating or noxious fumes, gases, dusts or mists are generated, a local exhaust *ventilation* system shall be provided to remove the contaminating agent at the source. Air shall be exhausted to the exterior and not be recirculated to any space.

403.5 Clothes dryer exhaust. Clothes dryer exhaust systems shall be independent of all other systems and shall be exhausted outside the structure in accordance with the manufacturer's instructions.

Exception: Listed and *labeled* condensing (ductless) clothes dryers.

SECTION 404 OCCUPANCY LIMITATIONS

404.1 Privacy. *Dwelling units*, hotel units, *housekeeping units*, *rooming units* and dormitory units shall be arranged to provide privacy and be separate from other adjoining spaces.

404.2 Minimum room widths. A habitable room, other than a kitchen, shall be not less than 7 feet (2134 mm) in any plan dimension. Kitchens shall have a minimum clear passageway of 3 feet (914 mm) between counterfronts and appliances or counterfronts and walls.

404.3 Minimum ceiling heights. *Habitable spaces*, hallways, corridors, laundry areas, *bathrooms*, *toilet rooms* and habitable *basement* areas shall have a minimum clear ceiling height of 7 feet (2134 mm).

Exceptions:

1. In one- and two-family dwellings, beams or girders spaced not less than 4 feet (1219 mm) on center and projecting a maximum of 6 inches (152 mm) below the required ceiling height.
2. *Basement* rooms in one- and two-family dwellings occupied exclusively for laundry, study or recreation purposes, having a minimum ceiling height of 6 feet 8 inches (2033 mm) with a minimum clear height of 6 feet 4 inches (1932 mm) under beams, girders, ducts and similar obstructions.
3. Rooms occupied exclusively for sleeping, study or similar purposes and having a sloped ceiling over all or part of the room, with a minimum clear ceiling height of 7 feet (2134 mm) over not less than one-third of the required minimum floor area. In calculating the floor area of such rooms, only those portions of the floor area with a minimum clear ceiling height of 5 feet (1524 mm) shall be included.

404.4 Bedroom and living room requirements. Every *bedroom* and living room shall comply with the requirements of Sections 404.4.1 through 404.4.5.

404.4.1 Room area. Every living room shall contain not less than 120 square feet (11.2 m²) and every bedroom shall contain not less than 70 square feet (6.5 m²) and every bedroom occupied by more than one person shall contain not less than 50 square feet (4.6 m²) of floor area for each occupant thereof.

404.4.2 Access from bedrooms. *Bedrooms* shall not constitute the only means of access to other *bedrooms* or *habitable spaces* and shall not serve as the only means of egress from other *habitable spaces*.

Exception: Units that contain fewer than two *bedrooms*.

404.4.3 Water closet accessibility. Every *bedroom* shall have access to not less than one water closet and one lavatory without passing through another *bedroom*. Every *bedroom* in a *dwelling unit* shall have access to not less than one water closet and lavatory located in the same story as the *bedroom* or an adjacent story.

404.4.4 Prohibited occupancy. Kitchens and nonhabitable spaces shall not be used for sleeping purposes.

404.4.5 Other requirements. *Bedrooms* shall comply with the applicable provisions of this code including, but not limited to, the light, *ventilation*, room area, ceiling height and room width requirements of this chapter; the plumbing facilities and water-heating facilities require-

ments of Chapter 5; the heating facilities and electrical receptacle requirements of Chapter 6; and the smoke detector and emergency escape requirements of Chapter 7.

404.5 Overcrowding. Dwelling units shall not be occupied by more occupants than permitted by the minimum area requirements of Table 404.5.

**TABLE 404.5
MINIMUM AREA REQUIREMENTS**

SPACE	MINIMUM AREA IN SQUARE FEET		
	1-2 occupants	3-5 occupants	6 or more occupants
Living room ^{a, b}	120	120	150
Dining room ^{a, b}	No requirement	80	100
Bedrooms	Shall comply with Section 404.4.1		

For SI: 1 square foot = 0.0929 m².

a. See Section 404.5.2 for combined living room/dining room spaces.

b. See Section 404.5.1 for limitations on determining the minimum occupancy area for sleeping purposes.

404.5.1 Sleeping area. The minimum occupancy area required by Table 404.5 shall not be included as a sleeping area in determining the minimum occupancy area for sleeping purposes. Sleeping areas shall comply with Section 404.4.

404.5.2 Combined spaces. Combined living room and dining room spaces shall comply with the requirements of Table 404.5 if the total area is equal to that required for separate rooms and if the space is located so as to function as a combination living room/dining room.

404.6 Efficiency unit. Nothing in this section shall prohibit an efficiency living unit from meeting the following requirements:

1. A unit occupied by not more than one occupant shall have a minimum clear floor area of 120 square feet (11.2 m²). A unit occupied by not more than two *occupants* shall have a minimum clear floor area of 220 square feet (20.4 m²). A unit occupied by three *occupants* shall have a minimum clear floor area of 320 square feet (29.7 m²). These required areas shall be exclusive of the areas required by Items 2 and 3.
2. The unit shall be provided with a kitchen sink, cooking appliance and refrigeration facilities, each having a minimum clear working space of 30 inches (762 mm) in front. Light and *ventilation* conforming to this code shall be provided.
3. The unit shall be provided with a separate *bathroom* containing a water closet, lavatory and bathtub or shower.
4. The maximum number of *occupants* shall be three.

404.7 Food preparation. All spaces to be occupied for food preparation purposes shall contain suitable space and equipment to store, prepare and serve foods in a sanitary manner. There shall be adequate facilities and services for the sanitary disposal of food wastes and refuse, including facilities for temporary storage.

CHAPTER 5

PLUMBING FACILITIES AND FIXTURE REQUIREMENTS

SECTION 501 GENERAL

501.1 Scope. The provisions of this chapter shall govern the minimum plumbing systems, facilities and plumbing fixtures to be provided.

501.2 Responsibility. The owner of the structure shall provide and maintain such plumbing facilities and plumbing fixtures in compliance with these requirements. A person shall not occupy as *owner-occupant* or permit another person to occupy any structure or *premises* that does not comply with the requirements of this chapter.

SECTION 502 REQUIRED FACILITIES

[P] 502.1 Dwelling units. Every *dwelling unit* shall contain its own bathtub or shower, lavatory, water closet and kitchen sink that shall be maintained in a sanitary, safe working condition. The lavatory shall be placed in the same room as the water closet or located in close proximity to the door leading directly into the room in which such water closet is located. A kitchen sink shall not be used as a substitute for the required lavatory.

[P] 502.2 Rooming houses. Not less than one water closet, lavatory and bathtub or shower shall be supplied for each four *rooming units*.

[P] 502.3 Hotels. Where private water closets, lavatories and baths are not provided, one water closet, one lavatory and one bathtub or shower having access from a public hallway shall be provided for each 10 *occupants*.

[P] 502.4 Employees' facilities. Not less than one water closet, one lavatory and one drinking facility shall be available to employees.

[P] 502.4.1 Drinking facilities. Drinking facilities shall be a drinking fountain, water cooler, bottled water cooler or disposable cups next to a sink or water dispenser. Drinking facilities shall not be located in *toilet rooms* or *bathrooms*.

[P] 502.5 Public toilet facilities. Public toilet facilities shall be maintained in a safe, sanitary and working condition in accordance with the *International Plumbing Code*. Except for periodic maintenance or cleaning, public access and use shall be provided to the toilet facilities at all times during *occupancy* of the *premises*.

SECTION 503 TOILET ROOMS

[P] 503.1 Privacy. *Toilet rooms* and *bathrooms* shall provide privacy and shall not constitute the only passageway to a hall or other space, or to the exterior. A door and interior locking

device shall be provided for all common or shared *bathrooms* and *toilet rooms* in a multiple dwelling.

[P] 503.2 Location. *Toilet rooms* and *bathrooms* serving hotel units, *rooming units* or dormitory units or *housekeeping units*, shall have access by traversing not more than one flight of stairs and shall have access from a common hall or passageway.

[P] 503.3 Location of employee toilet facilities. Toilet facilities shall have access from within the employees' working area. The required toilet facilities shall be located not more than one story above or below the employees' working area and the path of travel to such facilities shall not exceed a distance of 500 feet (152 m). Employee facilities shall either be separate facilities or combined employee and public facilities.

Exception: Facilities that are required for employees in storage structures or kiosks, which are located in adjacent structures under the same ownership, lease or control, shall not exceed a travel distance of 500 feet (152 m) from the employees' regular working area to the facilities.

[P] 503.4 Floor surface. In other than *dwelling units*, every *toilet room* floor shall be maintained to be a smooth, hard, nonabsorbent surface to permit such floor to be easily kept in a clean and sanitary condition.

SECTION 504 PLUMBING SYSTEMS AND FIXTURES

[P] 504.1 General. Plumbing fixtures shall be properly installed and maintained in working order, and shall be kept free from obstructions, leaks and defects and be capable of performing the function for which such plumbing fixtures are designed. Plumbing fixtures shall be maintained in a safe, sanitary and functional condition.

[P] 504.2 Fixture clearances. Plumbing fixtures shall have adequate clearances for usage and cleaning.

[P] 504.3 Plumbing system hazards. Where it is found that a plumbing system in a structure constitutes a hazard to the *occupants* or the structure by reason of inadequate service, inadequate venting, cross connection, backsiphonage, improper installation, *deterioration* or damage or for similar reasons, the *code official* shall require the defects to be corrected to eliminate the hazard.

SECTION 505 WATER SYSTEM

505.1 General. Every sink, lavatory, bathtub or shower, drinking fountain, water closet or other plumbing fixture shall be properly connected to either a public water system or to an *approved* private water system. Kitchen sinks, lavatories, laundry facilities, bathtubs and showers shall be supplied

PLUMBING FACILITIES AND FIXTURE REQUIREMENTS

with hot or tempered and cold running water in accordance with the *International Plumbing Code*.

[P] 505.2 Contamination. The water supply shall be maintained free from contamination, and all water inlets for plumbing fixtures shall be located above the flood-level rim of the fixture. Shampoo basin faucets, janitor sink faucets and other hose bibs or faucets to which hoses are attached and left in place, shall be protected by an approved atmospheric-type vacuum breaker or an approved permanently attached hose connection vacuum breaker.

505.3 Supply. The water supply system shall be installed and maintained to provide a supply of water to plumbing fixtures, devices and appurtenances in sufficient volume and at pressures adequate to enable the fixtures to function properly, safely, and free from defects and leaks.

505.4 Water heating facilities. Water heating facilities shall be properly installed, maintained and capable of providing an adequate amount of water to be drawn at every required sink, lavatory, bathtub, shower and laundry facility at a minimum temperature of 110°F (43°C). A gas-burning water heater shall not be located in any *bathroom, toilet room, bedroom* or other occupied room normally kept closed, unless adequate combustion air is provided. An *approved* combination temperature and pressure-relief valve and relief valve discharge pipe shall be properly installed and maintained on water heaters.

SECTION 506 SANITARY DRAINAGE SYSTEM

[P] 506.1 General. Plumbing fixtures shall be properly connected to either a public sewer system or to an *approved* private sewage disposal system.

[P] 506.2 Maintenance. Every plumbing stack, vent, waste and sewer line shall function properly and be kept free from obstructions, leaks and defects.

[P] 506.3 Grease interceptors. Grease interceptors and automatic grease removal devices shall be maintained in accordance with this code and the manufacturer's installation instructions. Grease interceptors and automatic grease removal devices shall be regularly serviced and cleaned to prevent the discharge of oil, grease, and other substances harmful or hazardous to the building drainage system, the public sewer, the private sewage disposal system or the sewage treatment plant or processes. Records of maintenance, cleaning and repairs shall be available for inspection by the code official.

SECTION 507 STORM DRAINAGE

[P] 507.1 General. Drainage of roofs and paved areas, *yards* and courts, and other open areas on the *premises* shall not be discharged in a manner that creates a public nuisance.

CHAPTER 6

MECHANICAL AND ELECTRICAL REQUIREMENTS

SECTION 601 GENERAL

601.1 Scope. The provisions of this chapter shall govern the minimum mechanical and electrical facilities and equipment to be provided.

601.2 Responsibility. The *owner* of the structure shall provide and maintain mechanical and electrical facilities and equipment in compliance with these requirements. A person shall not occupy as *owner-occupant* or permit another person to occupy any *premises* that does not comply with the requirements of this chapter.

SECTION 602 HEATING FACILITIES

602.1 Facilities required. Heating facilities shall be provided in structures as required by this section.

602.2 Residential occupancies. Dwellings shall be provided with heating facilities capable of maintaining a room temperature of 68°F (20°C) in all habitable rooms, *bathrooms* and *toilet rooms* based on the winter outdoor design temperature for the locality indicated in Appendix D of the *International Plumbing Code*. Cooking appliances shall not be used, nor shall portable unvented fuel-burning space heaters be used, as a means to provide required heating.

Exception: In areas where the average monthly temperature is above 30°F (-1°C), a minimum temperature of 65°F (18°C) shall be maintained.

602.3 Heat supply. Every *owner* and *operator* of any building who rents, leases or lets one or more *dwelling units* or *sleeping units* on terms, either expressed or implied, to furnish heat to the *occupants* thereof shall supply heat during the period from [DATE] to [DATE] to maintain a minimum temperature of 68°F (20°C) in all habitable rooms, *bathrooms* and *toilet rooms*.

Exceptions:

1. When the outdoor temperature is below the winter outdoor design temperature for the locality, maintenance of the minimum room temperature shall not be required provided that the heating system is operating at its full design capacity. The winter outdoor design temperature for the locality shall be as indicated in Appendix D of the *International Plumbing Code*.
2. In areas where the average monthly temperature is above 30°F (-1°C), a minimum temperature of 65°F (18°C) shall be maintained.

602.4 Occupiable work spaces. Indoor occupiable work spaces shall be supplied with heat during the period from [DATE] to [DATE] to maintain a minimum temperature of 65°F (18°C) during the period the spaces are occupied.

Exceptions:

1. Processing, storage and operation areas that require cooling or special temperature conditions.
2. Areas in which persons are primarily engaged in vigorous physical activities.

602.5 Room temperature measurement. The required room temperatures shall be measured 3 feet (914 mm) above the floor near the center of the room and 2 feet (610 mm) inward from the center of each exterior wall.

SECTION 603 MECHANICAL EQUIPMENT

603.1 Mechanical appliances. Mechanical appliances, fireplaces, solid fuel-burning appliances, cooking appliances and water heating appliances shall be properly installed and maintained in a safe working condition, and shall be capable of performing the intended function.

603.2 Removal of combustion products. Fuel-burning equipment and appliances shall be connected to an *approved* chimney or vent.

Exception: Fuel-burning equipment and appliances that are *labeled* for unvented operation.

603.3 Clearances. Required clearances to combustible materials shall be maintained.

603.4 Safety controls. Safety controls for fuel-burning equipment shall be maintained in effective operation.

603.5 Combustion air. A supply of air for complete combustion of the fuel and for *ventilation* of the space containing the fuel-burning equipment shall be provided for the fuel-burning equipment.

603.6 Energy conservation devices. Devices intended to reduce fuel consumption by attachment to a fuel-burning appliance, to the fuel supply line thereto, or to the vent outlet or vent piping therefrom, shall not be installed unless *labeled* for such purpose and the installation is specifically *approved*.

SECTION 604 ELECTRICAL FACILITIES

604.1 Facilities required. Every occupied building shall be provided with an electrical system in compliance with the requirements of this section and Section 605.

604.2 Service. The size and usage of appliances and equipment shall serve as a basis for determining the need for additional facilities in accordance with NFPA 70. *Dwelling units* shall be served by a three-wire, 120/240 volt, single-phase electrical service having a minimum rating of 60 amperes.

604.3 Electrical system hazards. Where it is found that the electrical system in a structure constitutes a hazard to the *occupants* or the structure by reason of inadequate service, improper fusing, insufficient receptacle and lighting outlets, improper wiring or installation, *deterioration* or damage, or for similar reasons, the *code official* shall require the defects to be corrected to eliminate the hazard.

604.3.1 Abatement of electrical hazards associated with water exposure. The provisions of this section shall govern the repair and replacement of electrical systems and equipment that have been exposed to water.

604.3.1.1 Electrical equipment. Electrical distribution equipment, motor circuits, power equipment, transformers, wire, cable, flexible cords, wiring devices, ground fault circuit interrupters, surge protectors, molded case circuit breakers, low-voltage fuses, luminaires, ballasts, motors and electronic control, signaling and communication equipment that have been exposed to water shall be replaced in accordance with the provisions of the *International Building Code*.

Exception: The following equipment shall be allowed to be repaired where an inspection report from the equipment manufacturer or *approved* manufacturer's representative indicates that the equipment has not sustained damage that requires replacement:

1. Enclosed switches, rated a maximum of 600 volts or less;
2. Busway, rated a maximum of 600 volts;
3. Panelboards, rated a maximum of 600 volts;
4. Switchboards, rated a maximum of 600 volts;
5. Fire pump controllers, rated a maximum of 600 volts;
6. Manual and magnetic motor controllers;
7. Motor control centers;
8. Alternating current high-voltage circuit breakers;
9. Low-voltage power circuit breakers;
10. Protective relays, meters and current transformers;
11. Low- and medium-voltage switchgear;
12. Liquid-filled transformers;
13. Cast-resin transformers;
14. Wire or cable that is suitable for wet locations and whose ends have not been exposed to water;

15. Wire or cable, not containing fillers, that is suitable for wet locations and whose ends have not been exposed to water;
16. Luminaires that are listed as submersible;
17. Motors;
18. Electronic control, signaling and communication equipment.

604.3.2 Abatement of electrical hazards associated with fire exposure. The provisions of this section shall govern the repair and replacement of electrical systems and equipment that have been exposed to fire.

604.3.2.1 Electrical equipment. Electrical switches, receptacles and fixtures, including furnace, water heating, security system and power distribution circuits, that have been exposed to fire, shall be replaced in accordance with the provisions of the *International Building Code*.

Exception: Electrical switches, receptacles and fixtures that shall be allowed to be repaired where an inspection report from the equipment manufacturer or *approved* manufacturer's representative indicates that the equipment has not sustained damage that requires replacement.

SECTION 605 ELECTRICAL EQUIPMENT

605.1 Installation. Electrical equipment, wiring and appliances shall be properly installed and maintained in a safe and *approved* manner.

605.2 Receptacles. Every *habitable space* in a dwelling shall contain not less than two separate and remote receptacle outlets. Every laundry area shall contain not less than one grounding-type receptacle or a receptacle with a ground fault circuit interrupter. Every *bathroom* shall contain not less than one receptacle. Any new *bathroom* receptacle outlet shall have ground fault circuit interrupter protection. All receptacle outlets shall have the appropriate faceplate cover for the location.

605.3 Luminaires. Every public hall, interior stairway, *toilet room*, kitchen, *bathroom*, laundry room, boiler room and furnace room shall contain not less than one electric luminaire. Pool and spa luminaires over 15 V shall have ground fault circuit interrupter protection.

605.4 Wiring. Flexible cords shall not be used for permanent wiring, or for running through doors, windows, or cabinets, or concealed within walls, floors, or ceilings.

SECTION 606 ELEVATORS, ESCALATORS AND DUMBWAITERS

606.1 General. Elevators, dumbwaiters and escalators shall be maintained in compliance with ASME A17.1. The most current certificate of inspection shall be on display at all times within the elevator or attached to the escalator or dumb-

waiter, be available for public inspection in the office of the building *operator* or be posted in a publicly conspicuous location *approved* by the *code official*. The inspection and tests shall be performed at not less than the periodic intervals listed in ASME A17.1, Appendix N, except where otherwise specified by the authority having jurisdiction.

606.2 Elevators. In buildings equipped with passenger elevators, not less than one elevator shall be maintained in operation at all times when the building is occupied.

Exception: Buildings equipped with only one elevator shall be permitted to have the elevator temporarily out of service for testing or servicing.

SECTION 607 DUCT SYSTEMS

607.1 General. Duct systems shall be maintained free of obstructions and shall be capable of performing the required function.

CHAPTER 7

FIRE SAFETY REQUIREMENTS

SECTION 701 GENERAL

701.1 Scope. The provisions of this chapter shall govern the minimum conditions and standards for fire safety relating to structures and exterior *premises*, including fire safety facilities and equipment to be provided.

701.2 Responsibility. The *owner* of the *premises* shall provide and maintain such fire safety facilities and equipment in compliance with these requirements. A person shall not occupy as *owner-occupant* or permit another person to occupy any *premises* that do not comply with the requirements of this chapter.

SECTION 702 MEANS OF EGRESS

[F] 702.1 General. A safe, continuous and unobstructed path of travel shall be provided from any point in a building or structure to the *public way*. Means of egress shall comply with the *International Fire Code*.

[F] 702.2 Aisles. The required width of aisles in accordance with the *International Fire Code* shall be unobstructed.

[F] 702.3 Locked doors. Means of egress doors shall be readily openable from the side from which egress is to be made without the need for keys, special knowledge or effort, except where the door hardware conforms to that permitted by the *International Building Code*.

[F] 702.4 Emergency escape openings. Required emergency escape openings shall be maintained in accordance with the code in effect at the time of construction, and the following. Required emergency escape and rescue openings shall be operational from the inside of the room without the use of keys or tools. Bars, grilles, grates or similar devices are permitted to be placed over emergency escape and rescue openings provided the minimum net clear opening size complies with the code that was in effect at the time of construction and such devices shall be releasable or removable from the inside without the use of a key, tool or force greater than that which is required for normal operation of the escape and rescue opening.

SECTION 703 FIRE-RESISTANCE RATINGS

[F] 703.1 Fire-resistance-rated assemblies. The required fire-resistance rating of fire-resistance-rated walls, fire stops, shaft enclosures, partitions and floors shall be maintained.

[F] 703.2 Opening protectives. Required opening protectives shall be maintained in an operative condition. Fire and smokestop doors shall be maintained in operable condition. Fire doors and smoke barrier doors shall not be blocked or obstructed or otherwise made inoperable.

SECTION 704 FIRE PROTECTION SYSTEMS

[F] 704.1 General. Systems, devices and equipment to detect a fire, actuate an alarm, or suppress or control a fire or any combination thereof shall be maintained in an operable condition at all times in accordance with the *International Fire Code*.

[F] 704.1.1 Automatic sprinkler systems. Inspection, testing and maintenance of automatic sprinkler systems shall be in accordance with NFPA 25.

[F] 704.1.2 Fire department connection. Where the fire department connection is not visible to approaching fire apparatus, the fire department connection shall be indicated by an *approved* sign mounted on the street front or on the side of the building. Such sign shall have the letters "FDC" not less than 6 inches (152 mm) high and words in letters not less than 2 inches (51 mm) high or an arrow to indicate the location. Such signs shall be subject to the approval of the fire code official.

[F] 704.2 Single- and multiple-station smoke alarms. Single- and multiple-station smoke alarms shall be installed in existing Group I-1 and R occupancies in accordance with Sections 704.2.1 through 704.2.3.

[F] 704.2.1 Where required. Existing Group I-1 and R occupancies shall be provided with single-station smoke alarms in accordance with Sections 704.2.1.1 through 704.2.1.4. Interconnection and power sources shall be in accordance with Sections 704.2.2 and 704.2.3.

Exceptions:

1. Where the code that was in effect at the time of construction required smoke alarms and smoke alarms complying with those requirements are already provided.
2. Where smoke alarms have been installed in occupancies and dwellings that were not required to have them at the time of construction, additional smoke alarms shall not be required provided that the existing smoke alarms comply with requirements that were in effect at the time of installation.
3. Where smoke detectors connected to a fire alarm system have been installed as a substitute for smoke alarms.

[F] 704.2.1.1 Group R-1. Single- or multiple-station smoke alarms shall be installed in all of the following locations in Group R-1:

1. In sleeping areas.
2. In every room in the path of the *means of egress* from the sleeping area to the door leading from the *sleeping unit*.

3. In each story within the *sleeping unit*, including basements. For *sleeping units* with split levels and without an intervening door between the adjacent levels, a smoke alarm installed on the upper level shall suffice for the adjacent lower level provided that the lower level is less than one full story below the upper level.

[F] 704.2.1.2 Groups R-2, R-3, R-4 and I-1. Single- or multiple-station smoke alarms shall be installed and maintained in Groups R-2, R-3, R-4 and I-1 regardless of *occupant load* at all of the following locations:

1. On the ceiling or wall outside of each separate sleeping area in the immediate vicinity of bedrooms.
2. In each room used for sleeping purposes.
3. In each story within a *dwelling unit*, including basements but not including crawl spaces and uninhabitable attics. In *dwelling units* with split levels and without an intervening door between the adjacent levels, a smoke alarm installed on the upper level shall suffice for the adjacent lower level provided that the lower level is less than one full story below the upper level.

[F] 704.2.1.3 Installation near cooking appliances. Smoke alarms shall not be installed in the following locations unless this would prevent placement of a smoke alarm in a location required by Section 704.2.1.1 or 704.2.1.2.

1. Ionization smoke alarms shall not be installed less than 20 feet (6096 mm) horizontally from a permanently installed cooking appliance.
2. Ionization smoke alarms with an alarm-silencing switch shall not be installed less than 10 feet (3048 mm) horizontally from a permanently installed cooking appliance.
3. Photoelectric smoke alarms shall not be installed less than 6 feet (1829 mm) horizontally from a permanently installed cooking appliance.

[F] 704.2.1.4 Installation near bathrooms. Smoke alarms shall be installed not less than 3 feet (914 mm) horizontally from the door or opening of a bathroom that contains a bathtub or shower unless this would prevent placement of a smoke alarm required by Section 704.2.1.1 or 704.2.1.2.

[F] 704.2.2 Interconnection. Where more than one smoke alarm is required to be installed within an individual *dwelling or sleeping unit*, the smoke alarms shall be interconnected in such a manner that the activation of one alarm will activate all of the alarms in the individual unit. Physical interconnection of smoke alarms shall not be required where listed wireless alarms are installed and all alarms sound upon activation of one alarm. The alarm shall be clearly audible in all bedrooms over background noise levels with all intervening doors closed.

Exceptions:

1. Interconnection is not required in buildings that are not undergoing *alterations*, repairs or construction of any kind.

2. Smoke alarms in existing areas are not required to be interconnected where *alterations* or repairs do not result in the removal of interior wall or ceiling finishes exposing the structure, unless there is an attic, crawl space or basement available that could provide access for interconnection without the removal of interior finishes.

[F] 704.2.3 Power source. Single-station smoke alarms shall receive their primary power from the building wiring provided that such wiring is served from a commercial source and shall be equipped with a battery backup. Smoke alarms with integral strobes that are not equipped with battery backup shall be connected to an emergency electrical system. Smoke alarms shall emit a signal when the batteries are low. Wiring shall be permanent and without a disconnecting switch other than as required for over-current protection.

Exceptions:

1. Smoke alarms are permitted to be solely battery operated in existing buildings where no construction is taking place.
2. Smoke alarms are permitted to be solely battery operated in buildings that are not served from a commercial power source.
3. Smoke alarms are permitted to be solely battery operated in existing areas of buildings undergoing *alterations* or repairs that do not result in the removal of interior walls or ceiling finishes exposing the structure, unless there is an attic, crawl space or *basement* available that could provide access for building wiring without the removal of interior finishes.

[F] 704.2.4 Smoke detection system. Smoke detectors listed in accordance with UL 268 and provided as part of the building's fire alarm system shall be an acceptable alternative to single- and multiple-station smoke alarms and shall comply with the following:

1. The fire alarm system shall comply with all applicable requirements in Section 907 of the *International Fire Code*.
2. Activation of a smoke detector in a dwelling or sleeping unit shall initiate alarm notification in the *dwelling or sleeping unit* in accordance with Section 907.5.2 of the *International Fire Code*.
3. Activation of a smoke detector in a *dwelling or sleeping unit* shall not activate alarm notification appliances outside of the *dwelling or sleeping unit*, provided that a supervisory signal is generated and monitored in accordance with Section 907.6.5 of the *International Fire Code*.

CHAPTER 8

REFERENCED STANDARDS

This chapter lists the standards that are referenced in various sections of this document. The standards are listed herein by the promulgating agency of the standard, the standard identification, the effective date and title and the section or sections of this document that reference the standard. The application of the referenced standards shall be as specified in Section 102.7.

ASME

American Society of Mechanical Engineers
Three Park Avenue
New York, NY 10016-5990

Standard reference number	Title	Referenced in code section number
ASME A17.1/CSA B44—2013	Safety Code for Elevators and Escalators.	.606.1

ASTM

ASTM International
100 Barr Harbor Drive
West Conshohocken, PA 19428-2959

Standard reference number	Title	Referenced in code section number
F 1346—91 (2010)	Performance Specifications for Safety Covers and Labeling Requirements for All Covers for Swimming Pools, Spas and Hot Tubs	.303.2

ICC

International Code Council
500 New Jersey Avenue, NW
6th Floor
Washington, DC 20001

Standard reference number	Title	Referenced in code section number
IBC—15	International Building Code®	102.3, 201.3, 401.3, 702.3
IEBC—15	International Existing Building Code®	305.1.1, 306.1.1
IFC—15	International Fire Code®	201.3, 604.3.1.1, 604.3.2.1, 702.1, 702.2, 704.1, 704.2
IFGC—15	International Fuel Gas Code®	.102.3
IMC—15	International Mechanical Code®	102.3, 201.3
IPC—15	International Plumbing Code®	201.3, 505.1, 602.2, 602.3
IRC—15	International Residential Code®	.201.3
IZC—15	International Zoning Code®	102.3, 201.3

NFPA

National Fire Protection Association
1 Batterymarch Park
Quincy, MA 02269

Standard reference number	Title	Referenced in code section number
25—14	Standard for the Inspection, Testing and Maintenance of Water-Based Fire Protection Systems	704.1.1
70—14	National Electrical Code	.102.4, 201.3, 604.2

APPENDIX A

BOARDING STANDARD

The provisions contained in this appendix are not mandatory unless specifically referenced in the adopting ordinance.

A101 GENERAL

A101.1 General. Windows and doors shall be boarded in an *approved* manner to prevent entry by unauthorized persons and shall be painted to correspond to the color of the existing structure.

A102 MATERIALS

A102.1 Boarding sheet material. Boarding sheet material shall be minimum $\frac{1}{2}$ -inch-thick (12.7 mm) wood structural panels complying with the *International Building Code*.

A102.2 Boarding framing material. Boarding framing material shall be minimum nominal 2-inch by 4-inch (51 mm by 102 mm) solid sawn lumber complying with the *International Building Code*.

A102.3 Boarding fasteners. Boarding fasteners shall be minimum $\frac{3}{8}$ -inch-diameter (9.5 mm) carriage bolts of such a length as required to penetrate the assembly and as required to adequately attach the washers and nuts. Washers and nuts shall comply with the *International Building Code*.

A103 INSTALLATION

A103.1 Boarding installation. The boarding installation shall be in accordance with Figures A103.1(1) and A103.1(2) and Sections A103.2 through A103.5.

A103.2 Boarding sheet material. The boarding sheet material shall be cut to fit the door or window opening neatly or shall be cut to provide an equal overlap at the perimeter of the door or window.

A103.3 Windows. The window shall be opened to allow the carriage bolt to pass through or the window sash shall be removed and stored. The 2-inch by 4-inch (51 mm by 102 mm) strong back framing material shall be cut minimum 2 inches (51 mm) wider than the window opening and shall be placed on the inside of the window opening 6 inches (152 mm) minimum above the bottom and below the top of the window opening. The framing and boarding shall be pre-drilled. The assembly shall be aligned and the bolts, washers and nuts shall be installed and secured.

A103.4 Door walls. The door opening shall be framed with minimum 2-inch by 4-inch (51 mm by 102 mm) framing material secured at the entire perimeter and vertical members at a maximum of 24 inches (610 mm) on center. Blocking shall also be secured at a maximum of 48 inches (1219 mm) on center vertically. Boarding sheet material shall be secured

with screws and nails alternating every 6 inches (152 mm) on center.

A103.5 Doors. Doors shall be secured by the same method as for windows or door openings. One door to the structure shall be available for authorized entry and shall be secured and locked in an *approved* manner.

A104 REFERENCED STANDARD

IBC—12 International Building Code A102.1,
A102.2, A102.3




FIGURE A103.1(1)
BOARDING OF DOOR OR WINDOW




FIGURE A103.1(2)
BOARDING OF DOOR WALL

INDEX

A

ACCESS

- Emergency egress 702
- From bedrooms 404.4.2
- Plumbing fixtures, access for cleaning 504.2
- To public way 702.1
- Toilet room as passageway 503.1
- Water closet 404.4.3

ADJACENT

- Privacy (hotel units, rooming units). 404.1

ADMINISTRATION

- Scope 101.2

AGENT (See also OPERATOR, OWNER)

- Definition. 202

AIR

- Combustion air 603.5

AISSLES

- Minimum width 702.2

ALTERATION

- Applicability of other codes. 102.3
- Inspection 104.2
- Prosecution. 106.3
- Unlawful acts 106.1

ANCHOR

- Anchored, definition 202
- Architectural trim. 304.8
- Signs, marquees and awnings 304.9
- Unsafe conditions. 304.1.1

APPEAL

- Application 111.1
- Board decision 111.6
- Board of appeals 111.2
- Court review 111.7
- Disqualification 111.2.3
- Financial interest 111.2.3
- Hearing, emergency orders 109.6
- Membership 111.2
- Notice of appeal 111.1
- Postponed hearing 111.5
- Records 104.6
- Right to appeal 111.1
- Vote 111.6

APPLIANCE

- Cooking 403.3, 602.2
- Mechanical 603.1

APPLICABILITY

- Application of references 102.9

- General 102.1
- Other laws. 102.10
- Referenced codes and standards. 102.7

APPROVAL

- Alternatives 105.2
- Authority 104.1, 105.2
- Modifications. 105.1
- Research reports 105.6
- Used material and equipment. 105.4

APPROVED

- Alternative materials, methods and equipment 105.2
- Definition. 202
- Energy conservation devices 603.6
- Garbage storage facilities 308.3.1
- Modifications. 105.1
- Used materials and equipment. 105.4

ARTIFICIAL

- Lighting of habitable rooms. 401.3
- Lighting of other spaces 402.3

AUTOMOBILE

- Motor vehicles. 302.8

AWNING

- Signs, marquees and awnings 304.9

B

BALCONY

- Handrails and guardrails. 304.12

BASEMENT

- Definition. 202
- Hatchways 304.16
- Windows. 304.17

BATHROOM

- Common bathrooms 502.3, 503.1
- Hotels 502.3
- Lighting 605.3
- Locks. 503.1
- Outlets required 605.2
- Privacy 503.1
- Ventilation 403.2

BATHTUB

- Dwelling units 502.1
- Rooming houses. 502.2
- Sewage system. 506.1
- Water-heating facilities 505.4
- Water system 505.1

BOARDING

Boarding standard Appendix A

BOILER

Unsafe equipment 108.1.2

C

CAPACITY

Heating facilities. 602.2, 602.3, 602.4

CAR (See AUTOMOBILE)

CEILING

Basement rooms 404.3
Fire-resistance ratings 703.1
Interior surfaces 305.3
Minimum height 404.3
Sleeping rooms 404.3

CHANGE, MODIFY

Application of other codes 102.3

CHIMNEY

Exterior structure 304.11
Flue 603.2, 603.3

CLEANING

Access for cleaning 504.2
Disposal of garbage 308.3
Disposal of rubbish 308.2
Interior and exterior sanitation 308.1
Interior surfaces 305.3
Plumbing facilities, maintained 504.1
Required plumbing facilities 502
Responsibility of persons 305.1
Trash containers 308.3.2
Vacant structures and land 301.3

CLEARANCE

Heating facilities. 603.3
Plumbing fixtures 504.2

CLOSING

Streets 109.3
Vacant structures. 108.2

CLOTHES DRYER

Exhaust 403.5

CODE OFFICIAL

Condemnation 108.1
Demolition 110
Duties. 104
Emergency order 109
Enforcement authority 104.1
Failure to comply with demolition order 110.3
Identification. 104.3
Inspections. 104.2
Liability, relief of personal 103.4
Membership of board of appeals 111.2
Notice of violation 104.5, 107

Notices and orders. 107
Official records 104.6
Personal liability 103.4
Placarding 108.4
Prosecution 106.3
Removal of placard 108.4.1
Right of entry 104.3
Transfer of ownership 107.6
Vacant structures 108.2
Voting of appeals board 111.2, 111.6

COMBUSTION

Combustion air 603.5

COMPONENT SERVICEABILITY

Unsafe conditions. 306.1.1

CONDEMNATION

Closing of vacant structures. 108.2
Failure to comply 110.3
General 108.1
Notices and orders. 108.2, 108.3
Placarding 108.4
Removal of placard 108.4.1

CONFLICT

Conflict of interest 111.2.3
Violations 106.1

CONNECTION

Sewage system 506.1
Water heating. 505.4
Water system 505.1

CONSTRUCTION

Existing structures 101.2

CONTAINER

Garbage 308.3.2
Rubbish storage 308.2.1

CONTINUOUS

Unobstructed egress 702.1

CONTROL

Rodent control 302.5, 304.5
Safety controls 603.4
Weed 302.4

COOLING

Cooling towers 304.11

CORRIDOR

Accumulation of rubbish. 308.1
Light 402.2
Lighting fixtures 605.3
Obstructions. 702.1, 702.2
Ratings maintained 703

D

DAMP, DAMPNES

Roofs 304.7

Window, door frames	304.13
DANGEROUS, HAZARDOUS	
Condemnation	108.1
Demolition.	110
Electrical hazards	604.3, 604.3.1
Existing remedies	102.4
Imminent danger.	202
Unsafe equipment	108.1.2
Unsafe structures or premises	108.1.5
DECKS	
Handrails and guardrails.	304.12
Maintenance	304.2, 304.10
DEMOLITION	
Existing remedies	102.4
Failure to comply	110.3
General.	110
Order	110.2
Salvage materials.	110.4
DETECTORS	
Smoke	704
DETERIORATION	
Components of systems	306.1.1
Definition.	202
Exterior structure	304.1.1
Exterior walls	304.6
DIRECT	
Egress	702.1
DISPOSAL	
Disposal of garbage	308.3
Disposal of rubbish.	308.2
DOOR	
Exit doors	702.3
Fire	703.2
Hardware	304.15
Insect screens	304.14
Interior surfaces	305.3
Locks	304.15, 702.3
Maintenance	304.13, 304.15
Weather tight	304.13
Window and door frames	304.13
DORMITORY (ROOMING HOUSE, HOTEL, MOTEL)	
Locked doors	702.3
Privacy	503.1, 503.2
DRAIN, DRAINAGE	
Basement hatchways	304.16
Plumbing connections	506
Storm drainage.	507
DUCT	
Exhaust duct.	304.9
Duct systems	607

DUST

Process ventilation	403.4
-------------------------------	-------

DWELLING

Cleanliness	305.1, 308.1
Definition.	202
Electrical	604.1
Heating facilities	602
Required facilities	502

E

EGRESS

Aisles	702.2
Emergency escape	702.4
General	702.1
Lighting	402.2
Locked doors	702.3
Obstructions prohibited.	702.1
Stairs, porches and railings.	304.10, 305.4, 305.5, 307.1

ELECTRIC, ELECTRICAL EQUIPMENT

Abatement of hazards, fire exposure	604.3.2
Abatement of hazards, water exposure	604.3.1
Condemnation.	108.1
Electrical equipment	604.3.1.1
Facilities required	604.1
Hazards.	604.3
Installation.	605.1
Lighting fixtures.	605.3
Receptacles	604.3, 605.2
Responsibility	601.2
Service	604.2

ELEVATOR, ESCALATORS, DUMBWAITERS

Condemnation.	108.1
General	606.1
Maintenance	606.1, 606.2

EMERGENCY

Emergency escape openings	702.4
Emergency measures.	109
Emergency orders.	109.1

ENFORCEMENT

Duties and powers	104
Scope	101.2

EQUIPMENT

Alternative.	105.2
Combustion air	603.5
Condemnation.	108.1.2, 108.3
Electrical installation	605.1
Emergency order	109.1
Energy conservation devices	603.6
Installation.	603.1

Interior structure	305.1
Placarding	108.4, 108.5
Prohibited use	108.5
Responsibility	601.2
Safety controls	603.4
Scope	101.2
Scope, mechanical and electrical	601.1
Support, definition	202
Unsafe	108.1.2
Used	105.4

EXHAUST

Clothes dryer	403.5
Exhaust ducts	304.9
Process ventilation	403.4

EXISTING

Remedies	102.4
Scope	101.2
Structural members	304.1.1, 304.4
Structures	101.3

EXTERIOR

Decorative features	304.8
Exterior structure	304
Exterior walls	304.6
Painting	304.2, 304.6
Rodent harborage	302.5, 304.5
Sanitation	304.1
Scope	301.1
Stair	304.10
Street numbers	304.3
Unsafe conditions	304.1.1
Weather tight	304.13

F

FAN

Exhaust vents	302.6
-------------------------	-------

FEES, EXPENSES, COST

Closing vacant structures	108.2
Demolition	110.1, 110.3, 110.4
Extermination	309.2, 309.3, 309.4, 309.5
General	103.5
Relief from personal liability	103.4

FENCE

Accessory	302.7
Maintenance	304.2

FIRE

Automatic sprinkler systems	704.1.1
Fire-resistance-rated assemblies	703.1
Fire department connection	704.1.2
Fire protection systems	704
Responsibility, fire safety	701.2

Scope	101.2
Scope, fire safety	701.1
Smoke alarms	704.2

FLAMMABLE LIQUID

Containers	108.1.2
----------------------	---------

FLOOR, FLOORING

Area for sleeping purposes	404.4.1
Fire-resistance ratings	703.1
Interior surfaces	305.1, 305.3
Space requirements	404.4.1, 404.6

FOOD PREPARATION

Cooking equipment	403.3
Sanitary condition	305.1, 404.7
Ventilation	403.4

FOUNDATION

Condemnation	108.1.1
Foundation walls	304.5
Unsafe conditions	304.1.1, 305.1.1

FRAME

Window and door frames	304.13
----------------------------------	--------

G

GAS

Energy conservation devices	603.6
Exhaust vents	302.6

GLAZING

Materials	304.13.1
---------------------	----------

GRADE

Drainage	302.2, 507
--------------------	------------

GUARD

Anchorage and maintenance	304.12
Basement windows	304.18.2
Definition	202

H

HABITABLE

Definition	202
Light	402
Minimum ceiling height	404.3
Minimum room width	404.2
Required plumbing facilities	502
Residential heating facilities	602.2, 602.3
Space requirements	404.4.1
Ventilation	403

HANDRAILS AND GUARDRAILS

Handrails	304.12, 305.5, 307.1
Stairs and porches	304.10

HARDWARE

Door hardware	304.15, 702.3
Openable windows	304.13.2

HAZARDOUS (See DANGEROUS, HAZARDOUS)

HEAT, HEATING

Energy conservation devices	603.6
Fireplaces	603.1
Heating	603.1
Mechanical equipment	603.1
Required capabilities	602
Residential heating	602.2, 602.3
Supply	602.3
Water heating facilities	505.4
Water system	505

HEIGHT

Minimum ceiling height	404.3
----------------------------------	-------

HOT (See HEAT, HEATING)

HOTELS, ROOMING HOUSES AND DORMITORY UNITS, MOTELS

Definition	202
Locked doors	702.3
Required facilities	502
Toilet rooms	503

HOUSEKEEPING UNIT

Definition	202
----------------------	-----

I

IDENTIFICATION

Code official	104.4
-------------------------	-------

INFESTATION

Condemnation	108.1.3
Definition	202
Insect and rodent	302.5, 304.14, 309.1

INSECTS

Infestation	309.1
Insect screens	304.14
Pest elimination	309

INSPECTIONS

General	104.2
Right of entry	104.3

INSPECTOR

Identification	104.4
Inspections	104.2
Records	104.6

INTENT

Code	101.3
----------------	-------

INTERIOR

Interior structure	305
Interior surfaces	305.3
Means of egress	702
Sanitation	305.1
Unsafe conditions	305.1.1

J

JURISDICTION

Title	101.1
-----------------	-------

K

KITCHEN

Electrical outlets required	605.2
Minimum width	404.2
Prohibited use	404.4.4
Room lighting	605.3
Water heating facilities	505.4

L

LANDING

Handrails and guards	304.12, 305.5, 306.1
Maintenance	304.10, 305.4

LAUNDRY

Room lighting	605.3
Water-heating facilities	505.4

LAVATORY

Hotels	502.3
Required facilities	502
Rooming houses	502.2
Sanitary drainage system	506
Water-heating facilities	505.4
Water system	505

LEASE (SELL, RENT)

Heat supplied	602.3
Salvage materials	110.4
Transfer of ownership	107.6

LIEN

Closing of vacant structures	108.2
Demolition	110.3
Failure to comply	110.3

LIGHT, LIGHTING

Common halls and stairways	402.2, 605.3
General	402
Habitable rooms	402.1
Kitchen	605.3
Laundry rooms	605.3
Luminaires	605.3
Other spaces	402.3
Responsibility	401.2
Scope	101.2
Toilet rooms	605.3

LIVING ROOM

Room area	404.4.1
---------------------	---------

LOAD, LOADING

- Elevators, escalators and dumbwaiters 606.1
- Handrails and guardrails 304.12, 305.5
- Live load 304.4, 305.2
- Stairs and porches 304.10, 305.2
- Structural members 304.4, 305.2

M**MAINTENANCE**

- Required 102.2

MATERIAL

- Alternative 105.2
- Salvage 110.4
- Used 105.4

MEANS OF EGRESS (See EGRESS)**MECHANICAL**

- Installation 603.1
- Responsibility 601.2
- Scope 601.1
- Ventilation, general 403
- Ventilation, toilet rooms 403.2

MINIMUM

- Ceiling height 404.3
- Room area 404.4.1
- Room width 404.2

MODIFICATION

- Approval 105.1

MOTEL (See HOTELS)**MOTOR VEHICLES**

- Inoperative 302.8
- Painting 302.8

N**NATURAL**

- Lighting 401.3, 402
- Ventilation 401.3, 403

NOTICES AND ORDERS

- Appeal 111.1
- Form 107.2
- Method of service 107.3
- Orders 107
- Owner, responsible person 107.1
- Penalties 107.5
- Placarding of structure 108.4
- Transfer of ownership 107.6
- Unauthorized tampering 107.4
- Vacating structure 108.2

NOXIOUS

- Process ventilation 403.4
- Weeds 302.4

NUISANCE

- Closing of vacant structures 108.2

O**OBSTRUCTION**

- Light 402.1
- Right of entry 104.3

OCCUPANCY (See USE)**OPENABLE**

- Locked doors 702.3
- Windows 304.13.2, 403.1

OPERATOR

- Definition 202

ORDER (See NOTICE)**ORDINANCE, RULE**

- Applicability 102
- Application for appeal 111.1

OUTLET

- Electrical 605.2

OWNER

- Closing of vacant structures 108.2
- Definition 202
- Demolition 110
- Failure to comply 110.3
- Insect and rat control 302.5, 309.2, 309.4
- Notice 107.1, 108.3
- Pest elimination 309.2
- Placarding of structure 108.4
- Responsibility 301.2
- Responsibility, fire safety 701.2
- Responsibility, light, ventilation 401.2
- Responsibility, mechanical and electrical 601.2
- Responsibility, plumbing facilities 501.2
- Right of entry 104.3
- Rubbish storage 308.2.1
- Scope 101.2
- Transfer of ownership 107.6

P**PASSAGEWAY**

- Common hall and stairway 402.2
- Interior surfaces 305.3
- Toilet rooms, direct access 503.1

PENALTY

- Notices and orders 107.5
- Placarding of structure 108.4
- Prohibited occupancy 108.5
- Removal of placard 108.4.1
- Scope 101.2
- Violations 106.4

PEST ELIMINATION

- Condemnation108.1
- Definition. 202
- Insect and rodent control 302.5, 304.5, 304.14, 309.1
- Pest elimination309.1
- Responsibility of owner. 301.2, 309.2
- Responsibility of tenant-occupant.309.3, 309.4, 309.5

PLACARD, POST

- Closing108.2
- Condemnation108.1
- Demolition. 110
- Emergency, notice109.1
- Notice to owner. 107.1, 108.3
- Placarding of structure108.4
- Prohibited use.108.5
- Removal 108.4.1

PLUMBING

- Clean and sanitary504.1
- Clearance504.2
- Connections505.1
- Contamination505.2
- Employee's facilities503.3
- Fixtures.504.1
- Required facilities 502
- Responsibility501.2
- Sanitary drainage system. 506
- Scope501.1
- Storm drainage. 507
- Supply.505.3
- Water heating facilities505.4

PORCH

- Handrails304.12
- Structurally sound.304.10

PORTABLE (TEMPORARY)

- Cooking equipment.603.1

PRESSURE

- Water supply.505.3

PRIVATE, PRIVACY

- Bathtub or shower503.1
- Occupancy limitations.404.1
- Required plumbing facilities 502
- Sewage system506.1
- Water closet and lavatory.503.1
- Water system505.1

PROPERTY, PREMISES

- Cleanliness. 304.1, 308.1
- Condemnation 108
- Definition. 202
- Demolition. 110
- Emergency measures. 109
- Exterior areas 302

- Failure to comply. 110.3
- Grading and drainage. 302.2
- Pest elimination, multiple occupancy . . . 302.5, 309.4
- Pest elimination, single occupancy. . . . 302.5, 309.3
- Responsibility 301.2
- Scope 301.1
- Storm drainage 507
- Vacant structures and land. 301.3

PROTECTION

- Basement windows. 304.17
- Fire protection systems. 704
- Signs, marquees and awnings 304.9

PUBLIC

- Cleanliness304.1, 305.1
- Egress. 702.1
- Hallway 502.3
- Sewage system. 506.1
- Toilet facilities 502.5, 503
- Vacant structures and land. 301.3
- Water system 505

PUBLIC WAY

- Definition. 202

R

RAIN (PREVENTION OF ENTRY INTO BUILDING EXTERIOR ENVELOPE)

- Basement hatchways 304.16
- Exterior walls. 304.6
- Grading and drainage. 302.2
- Roofs. 304.7
- Window and door frames 304.13

RECORD

- Official records 104.6

REPAIR

- Application of other codes. 102.3
- Chimneys 304.11
- Demolition. 110.1
- Exterior surfaces. 304.1
- Intent. 101.3
- Maintenance 102.2
- Signs, marquees and awnings 304.9
- Stairs and porches 304.10
- Weather tight. 304.13
- Workmanship 102.5

REPORTS

- Test reports. 105.3.2

RESIDENTIAL

- Pest elimination. 309
- Residential heating 602.2
- Scope 101.2

RESPONSIBILITY

Pest elimination	309
Fire safety	701.2
Garbage disposal	308.3
General	301.2
Mechanical and electrical	601.2
Persons	301.1
Placarding of structure	108.4
Plumbing facilities	501.2
Rubbish storage	308.2.1
Scope	101.2, 301.1

REVOKE, REMOVE

Demolition	110
Existing remedies	102.4
Removal of placard	108.4.1
Rubbish removal	308.2.1

RIGHT OF ENTRY

Duties and powers of code official	104.3
Inspections	104.2

RODENTS

Basement hatchways	304.16
Condemnation	108
Foundations	304.5
Guards for basement windows	304.17
Harborage	302.5
Insect and rodent control	309.1
Pest elimination	302.5, 309

ROOF

Exterior structure	304.1
Roofs	304.7
Storm drainage	507

ROOM

Bedroom and living room	404.4
Cooking facilities	403.3
Direct access	503.2
Habitable	402.1
Heating facilities	602
Light	402
Minimum ceiling heights	404.3
Minimum width	404.2
Overcrowding	404.5
Prohibited use	404.4.4
Temperature	602.5
Toilet	503
Ventilation	403

ROOMING HOUSES (See DORMITORY)**RUBBISH**

Accumulation	308.1
Definition	202

Disposal	308.2
Garbage facilities	308.3.1
Rubbish storage	308.2.1

S**SAFETY, SAFE**

Fire safety requirements	701, 702, 703, 704
Safety controls	603.4

SANITARY

Cleanliness	304.1, 305.1
Disposal of garbage	308.3
Disposal of rubbish	308.2
Exterior property areas	302.1
Exterior structure	304.1
Food preparation	404.7
Furnished by occupant	302.1
Grease interceptors	506.3
Interior surfaces	305.3
Plumbing fixtures	504.1
Required plumbing facilities	502
Scope	101.2

SCREENS

Insect screens	304.14
--------------------------	--------

SECURITY

Basement hatchways	304.18.3
Building	304.18
Doors	304.18.1
Vacant structures and land	301.3
Windows	304.18.2

SELF-CLOSING SCREEN DOORS

Insect screens	304.14
--------------------------	--------

SEPARATION

Fire-resistance ratings	703
Privacy	404.1
Separation of units	404.1

SERVICE

Electrical	604.2
Method	107.3
Notices and orders	107.1, 108.3
Service on occupant	108.3

SEWER

General	506.1
Maintenance	506.2

SHOWER

Bathtub or shower	502.1
Rooming houses	502.2
Water-heating facilities	505.4
Water system	505

SIGN	
Signs, marquees and awnings	304.9
Unauthorized tampering	107.4
SINGLE-FAMILY DWELLING	
Extermination	309
SINK	
Kitchen sink	502.1
Sewage system	506
Water supply	505.3
SIZE	
Efficiency unit	404.6
Habitable room, light	402
Habitable room, ventilation	403
Room area	404.4.1
SMOKE ALARMS	
Alarms	704.2
Installation near bathrooms	704.2.2
Installation near cooking appliances	704.2.1
Interconnection	704.4
Power source	704.3
SPACE	
General, light	402
General, ventilation	403
Occupancy limitations	404
Privacy	404.1
Scope	401.1
STACK	
Smoke	304.11
STAIRS	
Common halls and stairways, light	402.2
Exit facilities	305.4
Exterior property areas	302.3
Handrails	304.12, 305.5
Lighting	605.3
Stairs and porches	304.10
STANDARD	
Referenced	102.7
STOP WORK ORDER	
Authority	112.1
Emergencies	112.3
Failure to comply	112.4
Issuance	112.2
STORAGE	
Food preparation	404.7
Garbage storage facilities	308.3
Rubbish storage facilities	308.2.1
Sanitation	308.1
STRUCTURE	
Accessory structures	302.7
Closing of vacant structures	108.2
Definition	202

Emergency measures	109
General, condemnation	110
General, exterior	304.1
General, interior structure	305.1
Placarding of structure	108.4
Scope	301.1
Structural members	304.4, 305.2
Vacant structures and land	301.3
SUPPLY	
Combustion air	603.5
Public water system	505.1
Water-heating facilities	505.4
Water supply	505.3
Water system	505
SURFACE	
Exterior surfaces	304.2, 304.6
Interior surfaces	305.3
SWIMMING	
Enclosure	303.2
Safety covers	303.2
Swimming pools	303.1

T

TEMPERATURE	
Nonresidential structures	602.4
Residential buildings	602.2
Water-heating facilities	505.4
TENANT	
Scope	101.2
TEST, TESTING	
Agency	105.3.1
Methods	105.3.1
Reports	105.3.2
Required	105.3
TOXIC	
Process ventilation	403.4
TRASH	
Rubbish and garbage	308

U

UNOBSTRUCTED	
Access to public way	702.1
General, egress	702.1
UNSAFE STRUCTURES AND EQUIPMENT	
Abatement methods	108.6
Dangerous structure or premises	108.1.5
Equipment	108.1.2
Existing remedies	102.4
General, condemnation	108, 110
General, demolition	110

INDEX

Notices and orders	107, 108.3
Record	108.7
Structures	108.1.1

USE

Application of other codes	102.3
General, demolition	110

UTILITIES

Authority to disconnect	108.2.1
-----------------------------------	---------

V

VACANT

Abatement methods	108.6
Authority to disconnect service utilities	108.2.1
Closing of vacant structures	108.2
Emergency measure	109
Method of service	107.3, 108.3
Notice to owner or to person responsible	107, 108.3
Placarding of structure	108.4
Record	108.7
Vacant structures and land	301.3

VAPOR

Exhaust vents	302.6
-------------------------	-------

VEHICLES

Inoperative	302.8
Painting	302.8

VENT

Plumbing hazard	504.3
Exhaust vents	302.6
Flue	603.2

VENTILATION

Clothes dryer exhaust	403.5
Combustion air	603.5
Definition	202
General, ventilation	403
Habitable rooms	403.1
Process ventilation	403.4
Recirculation	403.2, 403.4
Toilet rooms	403.2

VERMIN

Condemnation	108
Insect and rodent control	302.5, 309

VIOLATION

Condemnation	108
Enforcement	106.2
General	106
Notice	107, 108.3
Separate offenses	106.4
Placarding of structure	108.4

Prosecution	106.3
Strict liability offense	106.3, 202
Transfer of ownership	107.6

W

WALK

Sidewalks	302.3
---------------------	-------

WALL

Accessory structures	302.7
Exterior surfaces	304.2, 304.6
Exterior walls	304.6
Foundation walls	304.5
General, fire-resistance rating	703.1
Interior surfaces	305.3
Outlets required	605.2
Temperature measurement	602.5

WASTE

Disposal of garbage	308.3
Disposal of rubbish	308.2
Garbage storage facilities	308.3.1

WATER

Basement hatchways	304.16
Connections	506.1
Contamination	505.2
General, sewage	506
General, storm drainage	507
General, water system	505
Heating	505.4
Hotels	502.3
Kitchen sink	502.1
Required facilities	502
Rooming houses	502.2
Supply	505.3
System	505
Toilet rooms	503
Water-heating facilities	505.4

WEATHER, CLIMATE

Heating facilities	602
------------------------------	-----

WEEDS

Noxious weeds	302.4
-------------------------	-------

WIDTH

Minimum room width	404.2
------------------------------	-------

WINDOW

Emergency escape	702.4
Glazing	304.13.1
Guards for basement windows	304.17
Habitable rooms	402.1
Insect screens	304.14
Interior surface	305.3

Light 402

Openable windows 304.13.2

Toilet rooms 403.2

Ventilation 403

Weather tight 304.13

Window and door frames 304.13

WORKMANSHIP

General 102.5

Intentionally Left Blank



Intentionally Left Blank



Intentionally Left Blank



All Night Parking. 1. RESTRICTIONS. The restriction provided in subd. 1 shall be suspended to permit vehicles to remain in one place on a highway in designated areas between the hours of 2 a.m. to 6 a.m. consecutively, except when the department of public works announces snow-plowing operations or other public works operations are underway. All other parking restrictions and parking permit requirements currently in force or which may be enacted shall remain in effect in the designated areas.

b-1. The hours of 2 a.m. and 5 a.m., except as otherwise restricted or permitted in this section.

2. SPECIAL PERMIT. a. A vehicle may be parked between the hours of 2 a.m. and 5 a.m., or between the hours of 11 p.m. and 6 a.m. the following day when the department of public works announces snow-plowing operations or other public works operations are underway, provided a special privilege permit for the vehicles first obtained online or from any facility the city may designate for the sale of such permit, after filing an application and paying a permit fee, all as required under this section, and shall be parked as authorized by such permit, as provided in sub.

5. b. The owner of any motor truck with valid license plates issued by the department of transportation, division of motor vehicles, but not used for commercial purposes, and which is not larger than 21 feet in length, 7 feet in width, and 7 feet in height and which has no more than 2 single-tired wheels on the front axle and no more than 2 single-tired or double-tired wheels on the rear axle, shall be eligible to purchase a special privilege permit for said vehicle as provided in this section.

c. Any vehicle for which a person is applying for a special privilege permit may be inspected for purposes of determining eligibility for the permit as provided in this section.

d. Vehicles displaying special privilege permits must also display while parked valid motor vehicle license plates.

4. CERTAIN VEHICLES NOT ELIGIBLE. Motor trucks, except as provided elsewhere in the code, luxury limousines, as defined in s. 100-3-11, motor buses, motor delivery wagons, trailers, semitrailers, camping trailers, motor homes, mobile homes and tractors shall not be eligible for such special privilege parking permits.

5. APPLICATION AND PERMIT.

a. Application Listing. The application listing shall contain the name and City of Lansing address of the permit applicant, the license number and state of issuance of valid motor vehicle license plates, the expiration date of the permit applied for and any other reasonable and pertinent information the department may from time to time require.

b. Permits. The permits shall be numbered and contain the expiration date.

c. Display. While the motor vehicle is in a parked position between the hours of 2 a.m. to 5 a.m., the permit shall be displayed in the manner designated by the police department.

6. PARKING FUND. All revenues derived by the city from said permit fees shall be entered into account in accordance with the code.

Submitted by emtg

Requirements for Ordinance and/or Regulations

Notes on Language – Primary Used Ordinance #1235 for Residential Street Parking Zones for language. Modified and added components based on review of Milwaukee Overnight Parking Permit information. Milwaukee has a Temporary Overnight Parking Permission and was not covered in the ordinance. In addition, Milwaukee has alternate side parking that was not addressed in the ordinance draft.

Overview - The Neighborhood Overnight Parking Permit Program is to allow residents to apply for an exception to the overnight parking band for their residential address for a specific vehicle. This is for neighborhood streets and not be confused with Residential Street Parking Zones used for downtown streets.

Enforcement Component Needed – The overnight parking ban needs effective enforcement to insure successful permit volume is sold and/or used. If the residents can park on the street because of no or partial enforcement there is no incentive to get permit by the resident. If the resident was ticketed more than 3 times (\$20 Fine No Parking 2-5 a.m.) for the vehicle than there would be financial incentive for the resident to purchase an annual permit (Assuming a \$55 dollar Permit Cost).

In addition, because of no or partial enforcement has led to a reduce number of tickets being issued than the actual current violations or lost revenue. This was evident when there was a full time parking enforcement officer for a three month period issued 1,000 tickets per month. Consequently, this three month period lead to push back from residents that lead to again no or partial enforcement of the ordinance.

Permit Activity– It is recommended that a permit policy and procedures be put in place and operating before a ramp up in enforcement activities. Thus, when residents get ticketed that they can be directed to the permitting process to prevent future tickets or as the no night parking ordinance had intended for the resident to come into compliance of not parking on the street.

A. ADMINISTRATION

Permitting for **Neighborhood Overnight Parking Permit** program shall be under the supervision and administration control of the office of the Parking Manager, including preparation of forms, and collection of fees, The Parking Manager shall work with the Public Service Department to facilitate temporary suspension of permits and/or notifications during snow removal, emergency or construction purposes.

B. APPLICATION

A person requesting a **Neighborhood Overnight Parking Permit** shall first fully and accurately provide a completed city application form and, upon request, supply the city with supporting supplemental documentation. The application form shall require at a minimum the following information:

1. The name of the owner or operator of the motor vehicle to be permitted.
2. The primary residential address of the owner or operator of the motor vehicle.
3. The email address and cell phone number or the owner or operator of the motor vehicle to be used for contact in case of temporary suspension activities.
4. The motor vehicle's make, model, vehicle identification number, and license plate registration number.

Supporting Supplemental Documentation Includes, but is not limited to:

... that, etc.

1. An executed lease or other reasonable proof evidencing that the permit applicant's primary residence dwelling Unit or Address is as requested
2. The current, valid registration for the motor vehicle for which the permit is being applied;
 - a. If the applicant for an **Neighborhood Overnight Parking Permit** is the owner of the vehicle sought to be registered and his/her permanent residence is at the address for which the permit is sought, then said vehicle shall be registered at the permanent address and shall have valid state of Michigan Vehicle Plates; or
 - b. If the applicant for an **Neighborhood Overnight Parking Permit** has his/her permanent residence at the address for which the permit is sought but the vehicle under his/her control indicates another address of residence for the owner of said vehicle, the applicant shall be required to certify that said vehicle is kept by the applicant and only at the address for which the permit is requested and that it will not be kept at any other location for the duration of the permit's validity.

The parking manager is not required to grant a permit to any applicant.

C. PERMIT

The issuance of a **Neighborhood Overnight Parking Permit** is subject to all the following requirements:

1. The permit is valid only for the motor vehicle for which is issued;
2. The permit is valid only with the address and/or limited area that is was authorized for;
3. The permit shall display the motor vehicle's license plate number and expiration date, and the address where the permit is valid;
4. The permit shall be a sticker that is not easily removed, and must be affixed in a visible place on the front driver side windshield of the permitted motor vehicle;
5. The permit is valid only when visibly and properly displayed on the vehicle, when parked in the authorized area;
6. The annual fee for any **Neighborhood Overnight Parking Permit** shall be set by resolution of Council, and shall be for the Period of July 1, until June 31 of the next year;
7. A permit is only valid for as long as the owner or operator of the permitted motor vehicle continues to have as his or her primary residence the address that is within or adjacent to the limited area;
8. The annual fee shall be paid at the beginning of the permit year or when the application is granted, except that a payment plan may be set up at the discretion of the parking manager; the annual fee may be pro-rated by month if the applicant can only show continued residence in or adjacent to the **Neighborhood Overnight Parking Permit** for less than a year;
9. A replacement permit may be issued only if all or part of the original permit is produced at the time that a replacement permit is applied for, or if proof of theft of the vehicle is demonstrated to the satisfaction of the parking manager;
10. The fee for any replacement permit shall be set by resolution of city council;
11. Must be for a valid vehicle type and/or model to exclude any vehicle which is larger than 21 feet in length, 7 feet in width, and 7 feet in height and which have more than 2 single-tired wheels on the front axle and more than 2 single-tired or double-tired wheels on the rear axle, luxury limousines, motor buses, motor delivery wagons, trailers, semitrailers, camping trailers, motor homes, mobile homes and tractors.

D. CONDITIONS

Conditions on the Permit and Permit Holder the use and validity of a **Neighborhood Overnight Parking Permit is subject to all the following conditions:**

1. A permit may be used only in the address and/or limited area authorized during the permit process as determined by authorized personal.
2. A permit may be used only by the permit holder whom it is issued.
3. A permit shall not guarantee or reserve to the holder a parking space in the address and/or limited area authorized.
4. A permit shall not exempt the holder from the observance of any parking or traffic regulation or ordinance, other than the specified overnight parking restriction.
5. The City may temporarily suspend a permit for snow removal, emergency or construction purposes.
6. The City may permanently suspend a permit for any activities that result in public safety or quality of life issue cause as a result of permitting activities as determined by authorized personal.
7. The number of permit issued may be limited based on available parking stock and other considerations as determined by authorized personal.
8. Vehicle must not remain in same parked location for 72 hour limit and may be subject to ticket and/or towing.
9. A permit shall be complete removed from a vehicle upon its expiration or termination.
10. In the event a valid permit holder sells, transfers, or otherwise disposes of the motor vehicle for which a permit is granted, the permit shall terminate automatically;
11. A permit holder who desires to transfer their valid permit to a different vehicle must make a supplemental application to the parking manager indicating the change in vehicle, and must turn in the original permit as proof that it has been removed from the motor vehicle for which the permit was previously granted;
12. If a permit holder commits three parking violation in the address for which the permit has been issued, the permit, upon review, may be revoked by the parking manager:
13. If a permit holder violates any of the conditions in this section, the permit shall automatically become void and be terminated and revoked without notice.

C.O.L. current

404.11 – RESIDENTIAL PERMIT FOR STREET PARKING RESIDENTIAL PERMIT PARKING ZONE REGULATIONS AND RESTRICTIONS, INCLUDING LOCATION, TIME PERIODS, AND OFFICIAL SIGNAGE, SHALL BE ESTABLISHED BY ISSUANCE OF TRAFFIC CONTROL ORDERS IN COMPLIANCE WITH UTC 166 R28.1153 (RULE 153). THE CITY ISSUANCE OF PERMITS FOR RESIDENTIAL PARKING ON STREETS SHALL BE IN ACCORDANCE WITH THIS SECTION. A PERSON ISSUED A PERMIT UNDER THIS SECTION SHALL COMPLY WITH ALL THE TERMS, CONDITIONS AND RESTRICTIONS OF THE PERMIT AS PROVIDED IN THIS SECTION.

(A) ADMINISTRATION PERMITTING FOR THE RESIDENTIAL STREET PARKING PROGRAM SHALL BE UNDER THE SUPERVISION AND ADMINISTRATIVE CONTROL OF THE OFFICE OF THE PARKING MANAGER, INCLUDING PREPARATION OF FORMS, RECEIPT OF APPLICATIONS, ISSUANCE OF PERMITS, AND COLLECTION OF FEES. THE PARKING MANAGER SHALL WORK WITH THE PUBLIC SERVICE DEPARTMENT TO FACILITATE TEMPORARY SUSPENSION OF PERMITS AND / OR ACCOMMODATE PARKING DURING SNOW REMOVAL, EMERGENCY OR CONSTRUCTION PURPOSES.

(B) APPLICATION A PERSON REQUESTING A RESIDENTIAL STREET PARKING PERMIT FOR A MOTOR VEHICLE SHALL FIRST FULLY AND ACCURATELY PROVIDE A COMPLETED CITY APPLICATION FORM AND, UPON REQUEST, SUPPLY THE CITY WITH SUPPORTING SUPPLEMENTAL DOCUMENTATION. THE APPLICATION FORM SHALL REQUIRE AT A MINIMUM THE FOLLOWING INFORMATION:

1. THE NAME OF THE OWNER OR OPERATOR OF THE MOTOR VEHICLE TO BE PERMITTED;
2. THE PRIMARY RESIDENTIAL ADDRESS OF THE OWNER OR OPERATOR OF THE MOTOR VEHICLE;
3. THE EMAIL ADDRESS AND CELL PHONE NUMBER OF THE OWNER OR OPERATOR OF THE MOTOR VEHICLE TO BE USED FOR CONTACT IN CASE OF TEMPORARY SUSPENSION FOR SNOW REMOVAL, EMERGENCY OR CONSTRUCTION PURPOSES;
4. THE MOTOR VEHICLE'S MAKE, MODEL, VEHICLE IDENTIFICATION NUMBER, AND LICENSE PLATE REGISTRATION NUMBER. SUPPORTING SUPPLEMENTAL DOCUMENTATION INCLUDES, BUT IS NOT LIMITED TO:
 1. AN EXECUTED LEASE OR OTHER REASONABLE PROOF EVIDENCING THAT THE PERMIT APPLICANT'S PRIMARY RESIDENCE DWELLING UNIT OR ADDRESS IS WITHIN THE ZONE FOR WHICH THE PERMIT IS SOUGHT.
 2. THE CURRENT, VALID REGISTRATION FOR THE MOTOR VEHICLE FOR WHICH THE PERMIT IS BEING APPLIED;
 - a. IF THE APPLICANT FOR A RESIDENTIAL STREET PARKING PERMIT IS THE OWNER OF THE VEHICLE SOUGHT TO BE REGISTERED AND HIS/HER PERMANENT RESIDENCE IS AT THE ADDRESS FOR WHICH THE PERMIT IS SOUGHT, THEN SAID VEHICLE SHALL BE REGISTERED AT THE PERMANENT ADDRESS AND SHALL HAVE VALID STATE OF MICHIGAN MOTOR VEHICLE PLATES; OR

submitted cmf

b. IF THE APPLICANT FOR A RESIDENTIAL STREET PARKING PERMIT HAS HIS/HER PERMANENT RESIDENCE AT THE ADDRESS FOR WHICH THE PERMIT IS SOUGHT BUT THE VEHICLE UNDER HIS/HER CONTROL INDICATES ANOTHER ADDRESS OF RESIDENCE FOR THE OWNER OF SAID VEHICLE, THE APPLICANT SHALL BE REQUIRED TO CERTIFY THAT SAID VEHICLE IS KEPT BY THE APPLICANT AND ONLY AT THE ADDRESS FOR WHICH THE PERMIT IS REQUESTED AND THAT IT WILL NOT BE KEPT AT ANY OTHER LOCATION FOR THE DURATION OF THE PERMIT'S VALIDITY. THE PARKING MANAGER IS NOT REQUIRED TO GRANT A PERMIT TO ANY APPLICANT.

(C) PERMIT THE ISSUANCE OF A RESIDENTIAL STREET PARKING PERMIT IS SUBJECT TO ALL THE FOLLOWING REQUIREMENTS:

1. THE PERMIT IS VALID ONLY FOR THE MOTOR VEHICLE FOR WHICH IT IS ISSUED;
2. THE PERMIT SHALL DISPLAY THE MOTOR VEHICLE'S LICENSE PLATE NUMBER AND EXPIRATION DATE, AND THE ZONE WHERE THE PERMIT IS VALID;
3. THE PERMIT SHALL BE A STICKER THAT IS NOT EASILY REMOVED, AND MUST BE AFFIXED IN A VISIBLE PLACE ON THE FRONT DRIVER SIDE WINDSHIELD OF THE PERMITTED MOTOR VEHICLE;
4. THE PERMIT IS VALID ONLY WHEN VISIBLY AND PROPERLY DISPLAYED ON THE VEHICLE, WHEN PARKED IN THE DESIGNATED ZONE WHERE THE RESIDENT LIVES;
5. THE ANNUAL FEE FOR ANY RESIDENTIAL STREET PARKING ZONE PERMITS SHALL BE SET BY RESOLUTION OF COUNCIL, AND SHALL BE FOR THE PERIOD OF SEPTEMBER 1, UNTIL AUGUST 31 OF THE NEXT YEAR;
6. A PERMIT IS ONLY VALID FOR AS LONG AS THE OWNER OR OPERATOR OF THE PERMITTED MOTOR VEHICLE CONTINUES TO HAVE AS HIS OR HER PRIMARY RESIDENCE THE ADDRESS THAT IS WITHIN OR ADJACENT TO THE DESIGNATED RESIDENTIAL STREET PERMIT PARKING ZONE;
7. THE ANNUAL FEE SHALL BE PAID AT THE BEGINNING OF THE PERMIT YEAR OR WHEN THE APPLICATION IS GRANTED, EXCEPT THAT A PAYMENT PLAN MAY BE SET UP AT THE DISCRETION OF THE PARKING MANAGER; THE ANNUAL FEE MAY BE PRO-RATED BY MONTH IF THE APPLICANT CAN ONLY SHOW CONTINUED RESIDENCE IN OR ADJACENT TO THE RESIDENTIAL STREET PERMIT PARKING ZONE FOR LESS THAN A YEAR;
8. A REPLACEMENT PERMIT MAY BE ISSUED ONLY IF ALL OR PART OF THE ORIGINAL PERMIT IS PRODUCED AT THE TIME THAT A REPLACEMENT PERMIT IS APPLIED FOR, OR IF PROOF OF THEFT OF THE VEHICLE IS DEMONSTRATED TO THE SATISFACTION OF THE PARKING MANAGER;
9. THE FEE FOR ANY REPLACEMENT PERMIT SHALL BE SET BY RESOLUTION OF CITY COUNCIL.

(D) CONDITIONS ON THE PERMIT AND PERMIT HOLDER THE USE AND VALIDITY OF A RESIDENTIAL STREETS PERMIT IS SUBJECT TO ALL THE FOLLOWING CONDITIONS:

1. A PERMIT MAY BE USED ONLY IN THE TRAFFICCONTROL ORDER ZONE FOR WHICH IT HAS BEEN ISSUED.
2. A PERMIT MAY BE USED ONLY BY THE PERMIT HOLDER TO WHOM IT IS ISSUED.
3. A PERMIT SHALL NOT GUARANTEE OR RESERVE TO THE HOLDER A PARKING SPACE IN THE PERMIT ZONE.
4. A PERMIT SHALL NOT EXEMPT THE HOLDER FROM THE OBSERVANCE OF ANY PARKING OR TRAFFIC REGULATION OR ORDINANCE, OTHER THAN THE SPECIFIED OVERNIGHT PARKING RESTRICTION.
5. THE CITY MAY TEMPORARILY SUSPEND A PERMIT FOR SNOW REMOVAL, EMERGENCY OR CONSTRUCTION PURPOSES.
6. A PERMIT SHALL BE COMPLETELY REMOVED FROM A VEHICLE UPON ITS EXPIRATION OR TERMINATION.
7. A PERMIT HOLDER MAY NOT TRANSFER A PERMIT TO ANY OTHER PERSON OR VEHICLE.
8. IN THE EVENT A VALID PERMIT HOLDER SELLS, TRANSFERS, OR OTHERWISE DISPOSES OF THE MOTOR VEHICLE FOR WHICH A PERMIT IS GRANTED, THE PERMIT SHALL TERMINATE AUTOMATICALLY.
9. A PERMIT HOLDER WHO DESIRES TO TRANSFER THEIR VALID PERMIT TO A DIFFERENT VEHICLE MUST MAKE A SUPPLEMENTAL APPLICATION TO THE PARKING MANAGER INDICATING THE CHANGE IN VEHICLE, AND MUST TURN IN THE ORIGINAL PERMIT AS PROOF THAT IT HAS BEEN REMOVED FROM THE MOTOR VEHICLE FOR WHICH THE PERMIT WAS PREVIOUSLY GRANTED;
10. IF A PERMIT HOLDER COMMITS THREE PARKING VIOLATIONS IN THE PARKING ZONE FOR WHICH THE PERMIT HAS BEEN ISSUED, THE PERMIT, UPON REVIEW, MAY BE REVOKED BY THE PARKING MANAGER;
11. IF A PERMIT HOLDER VIOLATES ANY OF THE CONDITIONS IN THIS SECTION, THE PERMIT SHALL AUTOMATICALLY BECOME VOID AND BE TERMINATED AND REVOKED WITHOUT NOTICE.

